

# **Operator Assisted Drive Test Report**

# TRICHY SSA JUNE 2023

(RO, HYDERABAD)

Key Performance Indicators: All TSPs have met the Drop Call Rate (DCR) benchmark of 2%. All TSPs have met the Call Setup Success Rate (CSSR) of 95%.

The Operator Assisted Drive Test has been carried out by Regional Office, Hyderabad with the help of Service Providers in Trichy City & surrounding regions of Karur and Pudukottai from 9:00 AM to 8:00 PM during 20<sup>th</sup> June to 23<sup>rd</sup> June 2023. The drive test covered drive route of 410 KMs & 6 hotspots over a period of 4 days. Approximately 620 calls were made for each of the 8 networks: three 2G networks, one 3G networks and four LTE network covering four TSPs.

Voice Summary Data Summary

# Overview

Regional Office, TRAI Hyderabad conducted Operator Assisted Drive Test from 20th to 23rd June 2023 covering various locations in Trichy City & surrounding regions of Karur and Pudukottai. The performance of Airtel, BSNL, Vodafone Idea and Jio were monitored across various technologies (2G, 3G and 4G). The test results obtained from these drive tests were utilized to assess the network quality for Voice and Data services in terms of

Voice: Coverage, Quality, Handover Success Rate, Call Setup Success Rate, Drop Call Rate and Block Call Rate.

Data: Download and Upload Throughputs, Video Streaming Interruption delay, Web Browsing Delay and Latency.

#### **Drive Test Details:**

Voice Tests: Calls were made for 90 sec duration with wait time of 10 sec between calls in all technologies. The drive test covered a drive route of approximately 410 KMs over a period of 3 days from 20th to 23rd June 2023. Approximately 620 calls were made for each of the 8 networks: three 2G (Lock Mode) networks, one 3G (Dual mode) network and four VoLTE network covering 4 unique TSPs.

#### **Data Tests:**


- 1. Dynamic data test was conducted for 410 kms over a period of 3 days for download throughput for 3G & 4G technologies.
- 2. Data Tests were performed at 6 static locations for 2G, 3G & 4G technologies.
- \* For Voice and Data KPI's, 2G measurement is done with UE locked mode, 3G measurement is done with UE in Dual mode (2G & 3G) and 4G measurement is done with UE in Free Mode.
- \* 3G KPI's which are calculated from UE in Dual Mode (2G & 3G) includes samples and events of 2G.
- \* 4G KPI's which are calculated from the UE in Free Mode included samples and events of 2G & 3G.

Service	Specifications						
Download	2G (Locked) - 500KB, 3G (Dual) - 20 MB, 4G (Free) - 40 MB						
Upload	2G (Locked) - 100KB, 3G (Dual) - 5 MB, 4G (Free) - 10 MB						
Web Browsing	3 links of e/m commerce website www.amazon.in, www.flipkart.com and www.myntra.com.						
Latency	32 Bytes on www.google.com						

2 of 35 Page Overview Details

# Overview


## Voice & Dynamic Data Test Drive Route



Areas Covered – T	richy Town(Day 1)
Cantonment	Ammamandapam
Palakkarai	Srirangam
Gandhi Market	Tiruvanaikovil
Chatram Bus stand	Palpannai
Thennur	Kattur
Puthur	Thiruverumbur
Woraiyur	NIT
Thillai Nagar	Shanmuga nagar
Heber road	Srinivasa nagar
EB Road	Vasan anagar
WB Road	Vasan Valley ·
Railway Junction	Somarasampettai
Karumandapam	Ramalinga Nagar
Crawford	Sastri Road
Ramachandra Nagar	Salai Road
Annamalai Nagar	Rajacolony
Areas Covered- Karur (Day 2)	Areas Covered- Pudukottai (Day 3)
Tui alass IZamon NU I	
Trichy-Karur NH	Trichy-Pudukottai NH
Collectorate	Trichy-Pudukottai NH Thirukkokarnam
Collectorate	Thirukkokarnam
Collectorate Bharathidasan Nagar	Thirukkokarnam Thodaiman Nagar
Collectorate Bharathidasan Nagar Thanthoni	Thirukkokarnam Thodaiman Nagar Keela Raja veedhi
Collectorate Bharathidasan Nagar Thanthoni Sunga Gate	Thirukkokarnam Thodaiman Nagar Keela Raja veedhi Machuvadi
Collectorate Bharathidasan Nagar Thanthoni Sunga Gate Thirumanilayur	Thirukkokarnam Thodaiman Nagar Keela Raja veedhi Machuvadi Forest Office
Collectorate Bharathidasan Nagar Thanthoni Sunga Gate Thirumanilayur Bus stand Karur	Thirukkokarnam Thodaiman Nagar Keela Raja veedhi Machuvadi Forest Office Kamarajapuram
Collectorate Bharathidasan Nagar Thanthoni Sunga Gate Thirumanilayur Bus stand Karur Sengunthapuram	Thirukkokarnam Thodaiman Nagar Keela Raja veedhi Machuvadi Forest Office Kamarajapuram Ayyanarpuram
Collectorate Bharathidasan Nagar Thanthoni Sunga Gate Thirumanilayur Bus stand Karur Sengunthapuram Vadivel Nagar	Thirukkokarnam Thodaiman Nagar Keela Raja veedhi Machuvadi Forest Office Kamarajapuram Ayyanarpuram Ashok Nagar

Overview Details Page 3 of 35

## V. Static Data Test-Details



### **Data Service Test- Static Locations**


Static Locations					
Trichy Railway Junction					
Gandhi Market					
Chathram Bus stand					
Srirangam Temple					
Karur-Bus stand					
Pudukkottai-Bus stand					

# **Voice Calls**


## **Key Observations**

QoS compliance of the TSPs in Trichy for Voice across technologies 2G/3G/VoLTE:


**Drop Call Rate (%)** 




3G/VoLTE Network



**Block Call Rate (%)** 



3G / VoLTE Network



2G Network

KDI <sub>0</sub>		2G		3G	VoLTE			
KPIs	Airtel	BSNL	VIL	BSNL	Airtel	BSNL	RJIL	VIL
Drop Call Rate %	0.162	0.3	0	1.8	0	0	0	0
Block Call Rate %	0.161	0	0.16	0.47	0	0.9	0	0.16

- a) All TSPs have met the 2% QOS benchmark of Drop Call Rate (DCR%).
- b) Block Call Rate (CBR%) benchmark of 3% was achieved by all TSP's.

Page 5 of 35 **Voice Summary** 

# Voice Calls

# **Key Observations**

#### Coverage

a) Percentage of coverage samples for 2G ≥ -85 dBm.

TCDC		2G	
TSPS	Airtel	BSNL	VIL
Coverage %	93.07	95.36	94.76

b) Percentage of coverage samples for 3G ≥ -90 dBm & LTE ≥ -110 dBm

TCD	3G	Volte			
TSPs	BSNL	Airtel	BSNL	JIO	VIL
Coverage %	93.03	99.86	99.5	99.26	99.35

c) ) Percentage of time spent on 3G/VoLTE network

	3G/VoLTE				
TSPs	Airtel	BSNL	JIO	VIL	
% of Time Spent on 3G/4G	100	73.23	100	99.02	

Voice Summary Page 6 of 35

# **SSA Level Summary-Voice**

# Summary

Voice Call	2G					
Voice Call	Airtel	BSNL	VIL			
Call Attempt	601	651	634			
Blocked Call Rate (%)	0.161	0	0.16			
CSSR% (Accessibility)	99.69	100	99.84			
Drop Call Rate (%)	0.162	0.3	0			
Mobility HOSR (%)	99.61	98.82	99.03			
Rx Quality (%)	95.28	99.38	99.1			

Voice Call	BSNL 3G	VoLTE			
Voice Call		Airtel VoLTE	BSNL VoLTE	JIO VoLTE	VIL VoLTE
Call Attempt	424	621	221	603	601
Blocked Call Rate (%)	0.47	0	0.9	0	0.16
CSSR% (Accessibility)	99.53	100	99.1	100	99.84
Drop Call Rate (%)	1.8	0	0	0	0
Mobility HOSR (%)	99.2	99.77	99.5	99.47	99.82
Rx Quality (%)	98.13	83.12	87.03	92.5	95.3

Summary Page 7 of 35


# **Key Observations**

# Data Services Dynamic

Dynamic Data was tested for 410Kms. Download Throughput was tested.

#### Data Download Performance (Mbps) - Dynamic

#### 4G/ Network:



Data Services Static	VoLTE					
Dynamic	Airtel VoLTE	BSNL VoLTE	JIO VoLTE	VIL VoLTE		
Download Throughput (Mbps)	13.27	2.54	11.53	22.19		

Data Summary Page 8 of 35

# Data Services Static


# **Key Observations**(Average of 6 Hotspots

Data was tested at 6 locations .Following services were tested: Data Download/Upload, Latency (www.google.com), and Web browsing delay (Flipkart, Amazon, Myntra)


#### **Data Download and Upload Performance (Mbps)**

4G / Network:


#### **Download Throughput (Mbps)**



#### **Upload Throughput (Mbps)**



#### Web Browsing delay (Sec)



#### Latency (ms)



Data Summary Page 9 of 35

# Summary

## SSA Level Summary-(Average of 6 hotspots)-Data Services

Deta Campiana Ctatia	2G			
Data Services Static	Airtel	BSNL	VIL	
Download Throughput (kbps)	172.72	121.43	140.63	
Upload Throughput (kbps)	73.32	50.05	70.03	
Web Browsing Delay (sec)	6.23	80.86	6.39	
Latency (msec)	269.16	240.28	305.5	

		VoLTE					
Data Services Static		BSNL VoLTE	Airtel VoLTE	JIO VoLTE	VIL VoLTE		
Download Throughput (Mbps)	1.55	4.21	23.93	47.99	25.87		
Upload Throughput (Mbps)	1.26	2.92	8.97	19.04	1.36		
Web Browsing Delay (sec)	17.85	16.46	1.44	2.45	1.04		
Latency (msec)	128	79.67	95.16	29.72	88		

Summary Page 10 of 35

# **Data Services Static**

# SSA Level Summary

Data Col Vicco Ctatio			
Trichy Railway Junction	Airtel	2G BSNL	VIL
Download Throughput (kbps)	176.96	111.02	199.3
Upload Throughput (kbps)	70.3	40.92	96.8
Web Browsing Delay (sec)	5.941	111.33	3.39
Latency (msec)	268	188.33	251
Gandhi Market Trichy		2G	
·	Airtel	BSNL	VIL
Download Throughput (kbps)	152.96	131.85	182.1
Upload Throughput (kbps)	46.5	53.78	53.7
Web Browsing Delay (sec)	5.064	86.01	5.01
Latency (msec)	241	188.67	339
Chathram Bus Stand Trichy		2G	VIII
Download Throughput (kbps)	Airtel 142.3	155.63	VIL 127.9
Upload Throughput (kbps)	89.3	39.5	48.6
Web Browsing Delay (sec)	9.779	62.84	7.8
Latency (msec)	238.66	234.33	268
Srirangam Temple Trichy	Airtel	2G BSNL	VIL
Download Throughput (kbps)	159.56	98.93	93.3
Upload Throughput (kbps)	81.03	50.19	63.8
Web Browsing Delay (sec)	5.229	91.38	10.89
Latency (msec)	275	227.33	225
Karur Bus Stand	Airtel	2G BSNL	VIL
Download Throughput (kbps)	154.93	214.17	74.1
Upload Throughput (kbps)	83.93	104.03	65.7
Web Browsing Delay (sec)	6.567	58.98	6.17
Latency (msec)	370.66	323	233
Pudukkottai Bus Stand		2G	
	Airtel	BSNL	VIL
Download Throughput (kbps)	249.61	165.42	167.1
Upload Throughput (kbps)	68.83	56.24	91.6
Web Browsing Delay (sec)	4.80	74.60	5
Latency (msec)	221.66	280	517

Summary Page 11 of 35

# Data Services static


# SSA Level Summary(contd.)

			bummary(com	iu.)
Trichy Railway Junction	LTE		LTE	
Theny Kanway Junetion	BSNL	Airtel	JIO	VIL
Download Throughput (Mbps)	5.55	15.88	35.43	29.95
Upload Throughput (Mbps)	5.02	17.53	18.72	1.47
Web Browsing Delay (sec)	11.95	0.94	3.01	0.9
Latency (msec)	63	113.66	31.22	89
	LTE		LTE	
Gandhi Market Trichy	BSNL	Airtel	JIO	VIL
Download Throughput (Mbps)	3.77	15.06	54.92	36.86
Upload Throughput (Mbps)	2.47	2.57	20.63	1.25
Web Browsing Delay (sec)	10.10	0.91	2.37	1.2
Latency (msec)	75.67	89.66	24.61	87
	73.07	03.00	2 1.01	O,
	LTE		LTE	
Chathram Bus Stand Trichy	BSNL	Airtel	JIO	VIL
Download Throughput (Mbps)	4.89	26.09	44.09	19.30
Upload Throughput (Mbps)	4.61	4.72	19.97	1.27
Web Browsing Delay (sec)	20.34	1.28	2.27	1.05
Latency (msec)	86.67	94.3	30.06	99
Latericy (msec)	00.07	54.5	30.00	55
Laterity (miset)		54.5		33
Srirangam Temple Trichy	LTE BSNL	Airtel	LTE JIO	VIL
	LTE		LTE	
Srirangam Temple Trichy	LTE BSNL	Airtel	LTE JIO	VIL
Srirangam Temple Trichy  Download Throughput (Mbps)	LTE BSNL 3.43	Airtel 39.62	LTE JIO 49.46	VIL 33.30
Srirangam Temple Trichy  Download Throughput (Mbps)  Upload Throughput (Mbps)	LTE BSNL 3.43 1.91	Airtel 39.62 2.69	JIO 49.46 19.63	VIL 33.30 1.41
Srirangam Temple Trichy  Download Throughput (Mbps)  Upload Throughput (Mbps)  Web Browsing Delay (sec)  Latency (msec)	LTE BSNL 3.43 1.91 23.46	Airtel 39.62 2.69 0.79	JIO 49.46 19.63 2.21	VIL 33.30 1.41 1.3
Srirangam Temple Trichy  Download Throughput (Mbps)  Upload Throughput (Mbps)  Web Browsing Delay (sec)	LTE BSNL 3.43 1.91 23.46 93.33	Airtel 39.62 2.69 0.79	JIO 49.46 19.63 2.21 32.11	VIL 33.30 1.41 1.3
Srirangam Temple Trichy  Download Throughput (Mbps)  Upload Throughput (Mbps)  Web Browsing Delay (sec)  Latency (msec)	LTE BSNL  3.43 1.91  23.46  93.33  3G	Airtel 39.62 2.69 0.79 92	LTE JIO 49.46 19.63 2.21 32.11 LTE	VIL 33.30 1.41 1.3 79
Srirangam Temple Trichy  Download Throughput (Mbps)  Upload Throughput (Mbps)  Web Browsing Delay (sec)  Latency (msec)  Karur Bus Stand	LTE BSNL 3.43 1.91 23.46 93.33 3G BSNL	Airtel 39.62 2.69 0.79 92 Airtel	LTE JIO  49.46 19.63 2.21 32.11 LTE JIO	VIL 33.30 1.41 1.3 79
Srirangam Temple Trichy  Download Throughput (Mbps)  Upload Throughput (Mbps)  Web Browsing Delay (sec)  Latency (msec)  Karur Bus Stand  Download Throughput (Mbps)	LTE BSNL  3.43 1.91 23.46 93.33 3G BSNL  1.15	Airtel 39.62 2.69 0.79 92 Airtel 9.77	LTE JIO  49.46 19.63 2.21 32.11 LTE JIO  43.21	VIL 33.30 1.41 1.3 79  VIL 31.41
Srirangam Temple Trichy  Download Throughput (Mbps)  Upload Throughput (Mbps)  Web Browsing Delay (sec)  Latency (msec)  Karur Bus Stand  Download Throughput (Mbps)  Upload Throughput (Mbps)	LTE BSNL  3.43 1.91  23.46  93.33  3G  BSNL  1.15  1.18	Airtel 39.62 2.69 0.79 92 Airtel 9.77 10.01	LTE JIO  49.46 19.63 2.21 32.11  LTE JIO  43.21 18.53	VIL 33.30 1.41 1.3 79  VIL 31.41 1.31
Srirangam Temple Trichy  Download Throughput (Mbps)  Upload Throughput (Mbps)  Web Browsing Delay (sec)  Latency (msec)  Karur Bus Stand  Download Throughput (Mbps)  Upload Throughput (Mbps)  Web Browsing Delay (sec)	LTE BSNL  3.43 1.91  23.46  93.33  3G  BSNL  1.15  1.18  21.57	Airtel 39.62 2.69 0.79 92 Airtel 9.77 10.01 3.72	LTE JIO  49.46 19.63 2.21 32.11  LTE JIO  43.21 18.53 2.39	VIL 33.30 1.41 1.3 79  VIL 31.41 1.31 1.4
Srirangam Temple Trichy  Download Throughput (Mbps)  Upload Throughput (Mbps)  Web Browsing Delay (sec)  Latency (msec)  Karur Bus Stand  Download Throughput (Mbps)  Upload Throughput (Mbps)  Web Browsing Delay (sec)  Latency (msec)	LTE BSNL  3.43 1.91 23.46 93.33 3G BSNL  1.15 1.18 21.57 169.67 3G BSNL 2.64	Airtel 39.62 2.69 0.79 92  Airtel 9.77 10.01 3.72 90.66	LTE JIO  49.46 19.63 2.21 32.11  LTE JIO  43.21 18.53 2.39 32.27  LTE	VIL 33.30 1.41 1.3 79  VIL 31.41 1.31 1.4 74  VIL 11.81
Srirangam Temple Trichy  Download Throughput (Mbps)  Upload Throughput (Mbps)  Web Browsing Delay (sec)  Latency (msec)  Karur Bus Stand  Download Throughput (Mbps)  Upload Throughput (Mbps)  Web Browsing Delay (sec)  Latency (msec)  Pudukkottai Bus Stand	LTE BSNL  3.43 1.91 23.46 93.33 3G BSNL  1.15 1.18 21.57 169.67 3G BSNL 2.64 1.35	Airtel 39.62 2.69 0.79 92  Airtel 9.77 10.01 3.72 90.66  Airtel	LTE JIO  49.46 19.63  2.21 32.11  LTE JIO  43.21 18.53 2.39 32.27  LTE JIO	VIL  33.30  1.41  1.3  79  VIL  31.41  1.31  1.4  74  VIL  11.81  1.52
Srirangam Temple Trichy  Download Throughput (Mbps)  Upload Throughput (Mbps)  Web Browsing Delay (sec)  Latency (msec)  Karur Bus Stand  Download Throughput (Mbps)  Upload Throughput (Mbps)  Web Browsing Delay (sec)  Latency (msec)  Pudukkottai Bus Stand  Download Throughput (Mbps)	LTE BSNL  3.43 1.91 23.46 93.33 3G BSNL  1.15 1.18 21.57 169.67 3G BSNL 2.64	Airtel 39.62 2.69 0.79 92  Airtel 9.77 10.01 3.72 90.66  Airtel 37.13	LTE JIO  49.46 19.63  2.21 32.11  LTE JIO  43.21 18.53 2.39 32.27  LTE JIO 60.80	VIL 33.30 1.41 1.3 79  VIL 31.41 1.31 1.4 74  VIL 11.81

RF Coverage relates to the geographical footprint within the system that has sufficient RF signal strength to provide for a call session. The Coverage rate is calculated on the basis of % of samples in which the Rx level  $\geq$  -85 dBm, RSCP is  $\geq$  -90 dBm & RSRP  $\geq$  -110dBm. The details are as follows.

TSP	Coverage Rate %
Airtel 2G	93.07
BSNI 2G	95.36
VIL 2G	94.76
BSNL 3G	93.03
BSNL VoLTE	99.50
Airtel VoLTE	99.86
Jio VoLTE	99.26
VIL VoLTE	99.10

#### **Coverage Details**



Coverage Details Page 13 of 35

#### **AIRTEL**

TSP	Coverage Rate %
Airtel 2G	93.07
Airtel VoLTE	99.86





Overall Rx Level	# Samples	% PDF
[Max, >=-75]	3231868	40.88
[-75, >=-85)	4125932	52.19
[-85, >=-95)	528808	6.69
[-95, >=Min)	18583	0.24
Total	7905191	100


Overall RSRP	# Samples	% PDF
[Max, >=-80]	2094574	19.05
[-80, >=-90)	7496762	68.19
[-90, >=-110)	1386994	12.62
[-110, >=Min)	15614	0.14
Total	10993944	100

Coverage Details Page 14 of 35


#### **BSNL**

Technology	Coverage Rate %
2G	95.36
VoLTE	93.03

2G



**3G** 




2G		
Overall RxLevel	# Samples	% PDF
[Max, >=-75]	25978	74.19
[-75, >=-85)	7413	21.17
[-85, >=-95)	1460	4.17
[-95, >=Min)	163	0.47
Total	35014	100

3G		
Overall RSCP	# Samples	% PDF
[Max, >=-70]	5470	33.16
[-70, >=-80)	6063	36.75
[-80, >=-90)	3814	23.12
[-90, >=Min)	1149	6.97
Total	16496	100

Coverage Details Page 15 of 35

#### **BSNL**

Technology	Coverage Rate %
VoLTE	99.50



VoLTE		
Overall RSRP	# Samples	% PDF
[Max, >=-80]	3042	25.72
[-80, >=-90)	4495	38.02
[-90, >=-110)	4228	35.76
[-110, >=Min)	59	0.5
Total	11824	100

Coverage Details Page 16 of 35

JIO	
Technology	Coverage Rate %
VoLTE	99.26



VoLTE		
Overall RSRP	# Samples	%
[Max, >=-80]	24236	38.83
[-80, >=-95)	27592	44.20
[-95, >=-110)	10130	16.23
[-110, >=Min)	459	0.74
Total	62417	100

Coverage Details Page 17 of 35

#### **VIL**

Technology	Coverage Rate %
2G	94.76


#### **2G**



Overall Rx Level	# Samples	% PDF
[Max, >=-75]	40898	76.83
[-75, >=-85)	9543	17.93
[-85, >=-95)	2655	4.98
[-95, >=Min)	138	0.26
Total	53234	100.00

Coverage Details Page 18 of 35

VIL		
Technology Coverage Rate %		
VoLTE	99.10	




Overall RSRP	# Samples	% PDF
[Max, >=-80]	26064	44.39
[-80, >=-90)	19411	32.54
[-90, >=-110)	13125	22.17
[-110, >=Min)	583	0.90
Total	59183	100

Coverage Details Page 19 of 35

For measuring voice quality, as per the QoS norms, Rx Qual <=5 for GSM TSPs, EcNo >= -14 dBm for 3G TSPs and SINR >0 in case of VoLTE is considered to be good, whereas quality beyond this benchmark is considered to be bad. The benchmark should usually be ≥ 95%.

TSP	Rx Quality %
Airtel 2G	95.28
BSNI 2G	99.38
VIL 2G	99.14
BSNL 3G	98.12
Airtel VoLTE	83.12
BSNL VoLTE	87.03
Jio VoLTE	92.50
VIL VoLTE	95.38



Quality Details Page 20 of 35


#### **Airtel**

Technology	Rx Quality %
2G	95.28
3G	83.12

2G

#### Namakkal பெரம் பலூர் நாமக்கல் Thuraiyur Ariyal Velur தி வேலூர் துறையூர் அரிய்வ Musiri சுரிறி Samay uram Køveri Rive Tired popalli திருச்சராப்பள்ளி Tha chi ிச்சி தஞ 36 Manapparai மணப்பாறை 38 Pudu dottai புதுக்கோட்டை digul நெக்கல்

#### **VoLTE**



Overall Rx Quality	# Samples	% PDF
(Min, <=2)	6917461	87.51%
(2, <=3)	238781	3.02%
(3 , <=4)	208225	2.63%
(4 , <=5)	167712	2.12%
(5 , <=Max)	373016	4.72%
Total	7905195	100.00%

Overall SINR	# Samples	% PDF
(Min, <= -3)	705426	7.28%
(-3, <=0)	929557	9.60%
(0, <=5)	1990619	20.56%
(5, <=10)	2967887	30.65%
(10, <=15)	1685399	17.41%
(15, <=Max)	1404478	14.5%
Total	8278888	100%


Quality Details Page 21 of 35


#### **BSNL**

Technology	Rx Quality %
2G	99.38
3G	98.12

2G

**3G** 





Overall Rx Quality	# Samples	% PDF
(Min, <=2)	29713	93.1
(2, <=3)	803	2.52
(3 , <=4)	991	3.11
(4 , <=5)	211	0.66
(5 , <=Max)	197	0.62
Total	31915	100


Overall EcNo	# Samples	% PDF
(Max, <=-6)	1743	10.57
(-6, <=-9)	8555	51.86
(-9, <=-11)	4301	26.07
(-11, <=-14)	1589	9.63
(-14, <= Min)	309	1.87
Total	16497	100

Quality Details Page 22 of 35

#### **BSNL**

Technology	Rx Quality %
VoLTE	87.03


#### **VoLTE**



Overall SINR	# Samples	% PDF
(Min, <=0)	1533	12.97
(0, <=5)	2887	24.42
(5, <=10)	3056	25.85
(10, <=15)	2444	20.67
(15, <=Max)	1904	16.1
Total	11824	100

Quality Details Page 23 of 35

JIO	
Technology	Rx Quality %
VoLTE	92.50




VoLTE		
Overall SINR	# Samples	%
(15, <=Max)	13534	21.68
(10, <=15)	14521	23.26
(5, <=10)	17030	27.29
(0, <=5)	12650	20.27
(Min, <=0)	4682	7.50
Total	62417	100


Quality Details Page 24 of 35

For measuring voice quality, as per the QoS norms, RxQual <= 5 for GSM TSPs, EcNo >= -14 dBm for 3G TSPs and SINR >0 in case of VoLTE is considered to be good, whereas quality beyond this benchmark is considered to be bad. The benchmark should usually be  $\geq$  95%.

#### **VIL**

Technology	Rx Quality %
2G	99.14
VolTE	95.38
2G	VoLTE






Overall Rx Quality	# Samples	% PDF
(Min, <=2)	43670	89.28
(2, <=3)	1910	3.91
(3 , <=4)	2414	4.94
(4 , <=5)	495	1.01
(5 , <=Max)	422	0.86
Total	48911	100.00

Overall SINR	# Samples	% PDF
(Min, <=0)	2728	4.62
(0, <=5)	5618	9.51
(5, <=10)	8096	13.70
(10, <=15)	10977	18.57
(15, <=Max)	31685	53.61
Total	59104	100.00

Quality Details Page 25 of 35


TSP	% of Time Spent on 3G/VoLTE
Airtel VoLTE	100
BSNL 3G / VoLTE	73.23
Jio VoLTE	100
VIL VoLTE	99.02



Technology Details Page 26 of 35

#### **Airtel**


Technology	Time Spent on 4G
4G	100



Technology Details Page 27 of 35

#### **BSNL**


Technology	Time Spent on 3G / VoLTE
3G / VoLTE	73.23



Technology Details Page 28 of 35

#### JIO

Technology	Time Spent on 4G
VoLTE	100



Technology Details Page 29 of 35

#### **VIL**

Technology	Time Spent on 4G
VoLTE	99.02




Technology Details Page 30 of 35

#### **Airtel**

#### Data Statistics - Dynamic Complete SSA - 410Kms

Data KPIs – Overall	4G
Download Throughput (Mbps)	13.27




DL throughput	No of Sample	Percentage(%)
>12 Mbps	4997739	61.17
8 to 12 Mbps	842114	10.31
4 to 8 Mbps	924937	11.32
3 to 4 Mbps	246928	3.02
2 to 3 Mbps	268714	3.29
1 to 2 Mbps	215417	2.64
0 to 1 Mbps	674607	8.26
Total	8170456	100

#### **BSNL**

#### **Data Statistics - Dynamic Complete SSA 410 Kms**

Data KPIs – Overall	4G
Download Throughput (Mbps)	2.54



4G-DL throughput	No of Sample	%
0 to 1 Mbps	4137	29.73
1 to 2 Mbps	2704	19.43
2 to 3 Mbps	2209	15.88
3 to 4 Mbps	1675	12.04
4 to 8 Mbps	3143	22.59
8 to 12 Mbps	46	0.33
>12 Mbps	0	0
Total	13914	100

#### JIO

#### Data Statistics - Dynamic Complete SSA - 410 Kms

Data KPIs - Overall	4G
Download Throughput (Mbps)	11.53




DL throughput	No. of samples	%
>12 Mbps	20045	35.57
8 to 12 Mbps	6303	11.19
4 to 8 Mbps	7373	13.08
3 to 4 Mbps	1990	3.531
2 to 3 Mbps	1938	3.439
1 to 2 Mbps	1534	2.722
0 to 1 Mbps	17169	30.47

#### **VIL**

#### Data Statistics - Dynamic Complete SSA - 410 Kms

Data KPIs - Overall	4G
Download Throughput (Mbps)	22.19



DL throughput	No of Sample	%
0 to 1 Mbps	2894	9.78%
1 to 2 Mbps	701	2.37%
2 to 3 Mbps	1127	3.81%
3 to 4 Mbps	757	2.56%
4 to 8 Mbps	1036	3.50%
8 to 12 Mbps	1340	4.53%
>12 Mbps	21744	73.46%
Total	38527	100

# V. TRAI MySpeed App

## **Airtel**

Technology- 4G	Trichy Railway Junction	Gandhi Market Trichy	Chathram Bus Stand Trichy	Srirangam Temple Trichy	Karur Bus Stand	Pudukkottai Bus Stand
Download Speed Mbps	44.41	30.16	34.27	76.83	22.05	31.00
Upload Speed Mbps	42.97	30.03	4.91	7.16	15.07	48.91

## **BSNL**

Technology- 3G/4G	Trichy Railway Junction 4G	Gandhi Market Trichy 4G	Chathram Bus Stand Trichy 4G	Srirangam Temple Trichy 4G	Karur Bus Stand 3G	Pudukkottai Bus Stand 3G
Download Speed Mbps	11.63	6.93	3.54	7.63	4.85	7.74
Upload Speed Mbps	9.20	8.75	7.00	6.50	2.12	2.29

### JIO

Technology- 4G	Trichy Railway Junction	Gandhi Market Trichy	Chathram Bus Stand Trichy	Srirangam Temple Trichy	Karur Bus Stand	Pudukkottai Bus Stand
Download Speed Mbps	69.23	124.16	90.7	119.86	71.77	54.21
Upload Speed Mbps	20.07	26.51	20.55	23.56	25.76	22.43

## VIL

Technology- 4G	Trichy Railway Junction	Gandhi Market Trichy	Chathram Bus Stand Trichy	Srirangam Temple Trichy	Karur Bus Stand	Pudukkottai Bus Stand
Download Speed Mbps	71.61	94.37	44.70	110.12	37.19	77.83
Upload Speed Mbps	51.95	48.75	31.24	112.41	35.65	143.65