



**TELECOM REGULATORY AUTHORITY OF INDIA**

*Independent Drive Test Report*

*Gujarat LSA*

*February 2025*

## Contents

1. Introduction .....	3
2. Executive Summary (LSA) .....	3
2.1 Drive test details .....	3
2.2 Drive test routes .....	4
2.3 Summary of areas covered .....	4
2.4 Telecom service providers detected frequency bands .....	5
2.5 Performance against key QoS parameters .....	5
3. QoS performance analysis-LSA level .....	7
3.1 Overview .....	7
3.2 Voice performance .....	7
3.3 Data performance .....	10
4. Detailed QoS performance analysis .....	12
4.1 Overview .....	12
4.2 City .....	12
4.2.1 Drive test route .....	12
4.2.2 Areas covered .....	12
4.2.3 Voice performance .....	12
4.2.4 Data performance .....	20
4.3 Hotspots .....	22
4.3.1 Locations .....	22
4.3.2 Hotspot covered .....	22
4.3.3 Voice performance .....	23
4.3.4 Data performance (Auto-selection mode 5G/4G/3G/2G) .....	25
4.3.5 Data performance (5G Only & 4G Only Download & Upload Speed) .....	29
4.4 Walk Test .....	33
4.4.1 Drive test route .....	33
4.4.2 Walk Test Covered .....	33
4.4.3 Voice Performance .....	33
4.4.4 Data Performance .....	33
5. Voice & Data Key findings .....	34
5.1 Overall Voice .....	34
5.2 Overall Data .....	34
5.3 Operator wise Key Findings .....	34
6. Annexure .....	38

6.1 Route wise coverage map .....	38
6.1.1 City .....	38
7. Appendix .....	42
7.1 Appendix-I .....	42
7.1.1 Drive test setup .....	42
7.1.2 Drive test Methodology .....	44
7.2 Appendix-II .....	46
7.2.1 Network Performance Parameters for Voice calls .....	46
7.2.2 Network Performance Parameters Data tests .....	47

## 1. Introduction

TRAI Act, 1997 mandates the Authority to ensure the services delivered through various telecommunications networks meet required quality standards prescribed, to protect the interest of the consumers of telecommunication services. TRAI is also responsible for conducting the periodical audit of such services provided by the service providers so as to protect the interest of the consumers of telecommunications service.

Accordingly, TRAI has engaged M/s RedMango Analytics Pvt. Ltd. to undertake assessment of Quality of Service of mobile service through Independent Drive Test (IDT).

In IDT, the performance of all service providers providing service in a Licensed Service Area (LSA) through various technologies (like 2G/ 3G/ 4G/ 5G) for voice and data are measured by conducting drive test. The drive test routes are finalised based on various objective criteria like reported network performance, consumer complaints etc. Methodology adopted for conducting IDT is elaborated in **APPENDIX-I**.

## 2. Executive Summary (LSA)

### 2.1 Drive test details


This report covers the findings of the IDT undertaken in Gujarat License Service Area (LSA) during the month of February-2025 under the supervision of TRAI Regional Office (RO), Jaipur. Details of route / area covered during the IDT is as given below:

Sl. No	Drive test route	Type of route	Distance covered (KMs)	From date	To date
1	Rajkot	City	367.8	17-Feb-2025	19-Feb-2025
2	Rajkot	Hotspot	12 Locations	19-Feb-2025	20-Feb-2025
3	Rajkot	Walk Test	1.0	19-Feb-2025	19-Feb-2025

**Table-1:** Drive test summary

## 2.2 Drive test routes

The map provides overview of drive test routes indicating city drive, hotspots, and walk test as per the legends shown on the map.



**Figure-1:** Drive test routes

## 2.3 Summary of areas covered

**a) City-** Nearby Airport Expansion, Kuvadava, Navagam, Rajkot bypass, Gondal-Sapar Road, SH-23, Rajkot South Taluka, Ring Road 1, Ring Road 2, Rajkot West Taluka, Rajkot East Taluka, Race Course Circle, Bhavnagar Circle flyover etc.

### **b) Hotspot-**

1. Railway Station, Rajkot
2. Bus Stand, Rajkot
3. Medical College, Rajkot
4. Civil Court, Rajkot
5. Fun World, Rajkot
6. Para Bazar, Rajkot
7. Crystal Mall, Rajkot
8. Gunda Wadi Market
9. Mahatma Gandhi Museum
10. Kaba Gandhi No Delo
11. Rajkot International Airport
12. Marwadi University

### **c) Walk Test-**

1. Railway Station, Rajkot

## 2.4 Telecom service providers detected frequency bands


Technologies covered during the IDT and frequency bands in use are summarised in below table

S.no.	Name of TSP	Technology	Frequency Bands (In MHz)
1	Bharti Airtel Ltd.	2G	1800
2	Bharti Airtel Ltd.	4G	900, 1800, 2100, 2300
3	Bharti Airtel Ltd.	5G	3500
4	BSNL	2G	900
5	BSNL	3G	2100
6	BSNL	4G	700, 2100
7	Reliance JIO Infocomm Ltd.	4G	850, 1800, 2300
8	Reliance JIO Infocomm Ltd.	5G	700, 3500
9	Vodafone Idea Ltd.	2G	900
10	Vodafone Idea Ltd.	4G	900, 1800, 2100, 2500

**Table-2:** Telecom service provider (TSP) covered in IDT

## 2.5 Performance against key QoS parameters

CSSR: Call setup success rate, CST: Call setup time, DCR: Drop call rate



### Summary-Voice services

**Call Setup Success Rate:** Airtel, BSNL, RJIL and VIL have call setup success rate of 99.85%, 91.75%, 99.86% and 100.00% respectively in Auto-selection mode (5G/4G/3G/2G).

**Call Setup Time:** Airtel, BSNL, RJIL and VIL have call setup time of 1.25, 1.56, 0.72 & 0.77 seconds respectively in Auto-selection mode (5G/4G/3G/2G).

**Drop Call Rate:** Airtel, BSNL, RJIL and VIL have drop call rate of 0.00%, 0.90%, 0.14% & 0.15% respectively in Auto selection mode (5G/4G/3G/2G).

**Call Silence/Mute Rate:** Airtel, BSNL, RJIL and VIL have silence rate of 0.00%, 6.95%, 0.56% & 0.56% respectively in packet switched network (4G/5G).

**Mean Opinion Score (MOS):** Airtel, BSNL, RJIL and VIL have MOS score of 4.02, 2.91, 3.91 & 4.53 respectively.

### Summary-Data services

**Data Download performance (Dynamic):** BSNL and VIL operating on 4G/3G technologies have average download speed of 7.10 Mbps and 36.49 Mbps respectively. Whereas Airtel and RJIL operating on 4G/5G technologies have average download speed of 171.24 Mbps and 174.46 Mbps respectively.

**Data Upload performance (Dynamic):** BSNL and VIL operating on 4G/3G technology have average upload speed of 3.93 and 18.84 Mbps respectively. Whereas Airtel and RJIL operating on 4G/5G technology have average upload speed of 26.94 Mbps and 32.91 Mbps, respectively.

### Data performance - Hotspots (in Mbps):

Airtel- 4G D/L: 43.09      4G U/L: 8.96  
           5G D/L: 165.69    5G U/L: 23.15  
 BSNL- 4G D/L: 17.00      4G U/L: 10.97  
 RJIL- 4G D/L: 30.79      4G U/L: 9.55  
           5G D/L: 141.79    5G U/L: 20.28  
 VIL- 4G D/L: 40.08      4G U/L: 22.29

**Note- "D/L" Download speed, "U/L" Upload speed**

## QoS Performance Analysis- Gujarat LSA

### 3. QoS performance analysis-LSA level

#### 3.1 Overview


This section provides summary of overall QoS performance of the telecom service provider's network in the LSA by aggregating the results of drive tests conducted in the LSA during the month of February-2025 covering city, hotspots and walk test. (Refer Table 1)

#### 3.2 Voice performance

**(a) Voice Call Performance in 3G/2G network mode only:** 3G/2G network mode testing has been done to reflect experience for respective users as they have only 3G/2G compatible handsets.

Parameters	Service Provider		
	3G/2G network mode only		
	AIRTEL	BSNL	VIL
Call Attempts	463	478	471
Call Setup Success Rate %	99.14	98.12	99.58
Drop Call Rate %	0.22	2.13	0.21
Call Setup Time-Average (Second)	5.09	3.35	2.93
Handover Success Rate %	99.04	99.95	97.62

**Table-3:** Summary of voice call performance in 3G/2G network mode only.



**Figure-2:** Call setup success rate and drop call rate performance.

Number of unique cell Id's covered in Voice test- Technology wise			
Technology	Service Provider		
	3G/2G network mode only		
	AIRTEL	BSNL	VIL
3G	NA	294	NA
2G	736	39	774

**Table-4:** Technology wise number of network cell Id's latched during drive test.

**Note-**


- RJIL does not have 3G/2G network.
- NA- Service provider doesn't provide services in respective technology.



**(b) Voice Call Performance in auto network selection mode (5G/4G/3G/2G)**

Parameters	Service Provider			
	Auto-selection mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Call Attempts	689	727	696	688
Call Setup Success Rate %	99.85	91.75	99.86	100.00
Drop Call Rate %	0.00	0.90	0.14	0.15
Call Setup Time-Average (Second)	1.25	1.56	0.72	0.77
Handover Success Rate %	99.94	99.58	99.90	100.00

**Table-5:** Summary of voice call performance in network auto-selection mode.



**Figure-3:** Performance for call setup success rate and drop call rate.

Parameter	Service Provider			
	Mobile-to-Mobile (5G/4G - Open Mode)			
	AIRTEL	BSNL	RJIL	VIL
Call Established (within service provider Network)	538	518	536	539
Number of silence call for >4 Sec	0	36	3	3
Silence Call Rate %	0.00	6.95	0.56	0.56
Number of silence instances for >4 Sec	0	49	4	3
Number of silence instances for >3 Sec	2	64	12	12
Number of silence instances for >2 sec	14	83	35	58
RTP Jitter (4G & 5G) in ms	5.36	15.54	7.82	17.78
Packet loss Rate Downlink %	0.30	8.55	0.31	0.41
Packet loss Rate Uplink %	0.33	8.54	0.44	0.46

**Table-6:** Summary of silence instances & packet loss rate for mobile to mobile call.

Number of unique cell Id's covered in Voice test- Technology wise				
Technology	Service Provider			
	Auto Mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
5G	0	NA	609	NA
4G	1287	182	1797	1479
3G	NA	58	NA	NA
2G	0	29	NA	3

**Table-7:** Technology wise number of network cell Id's latched during drive test.

**Note-**


- NA- Service provider doesn't provide services in respective technology.
- 0- No cell Id's were found in respective technology.

**(c) Mean Opinion Score (MOS) performance for speech quality:**

Mean opinion score indicates quality of speech observed during the drive test across different technologies. This parameter has been calculated for mobile-to-mobile calls made within same operator network in auto mode (5G/4G/3G/2G). As per ITU-T Recommendation P.863.1, MOS score values means: 5-Excellent, 4-Good, 3-Fair, 2-Poor, 1-Bad.

Speech Quality (MOS) distribution	Service Provider			
	AIRTEL	BSNL	RJIL	VIL
Total Number of MOS Samples for calls in table-6	3153	2573	3088	3166
Speech Quality (Average MOS Score)	4.02	2.91	3.91	4.53
Number of samples with MOS $\geq 4$ to $< 5$ (Excellent)	2652	542	2235	2815
Number of samples with MOS $\geq 3$ to $< 4$ (Good)	425	641	678	281
Number of samples with MOS $\geq 2$ to $< 3$ (Fair)	45	864	131	46
Number of samples with MOS $\geq 1$ to $< 2$ (Poor)	31	526	44	24
%age of samples with MOS $\geq 4$ to $< 5$ (Excellent)	84.11%	21.06%	72.38%	88.91%
%age of samples with MOS $\geq 3$ to $< 4$ (Good)	13.48%	24.91%	21.96%	8.88%
%age of samples with MOS $\geq 2$ to $< 3$ (Fair)	1.43%	33.58%	4.24%	1.45%
%age of samples with MOS $\geq 1$ to $< 2$ (Poor)	0.98%	20.44%	1.42%	0.76%

**Table-8:** Summary of speech quality (MOS) samples.




**Figure- 4:** Distribution of samples in MOS score range.

### 3.3 Data performance

#### (a) Data Parameters (Auto-selection mode- 5G/4G/3G/2G)

Parameters		Service Provider			
		Auto-selection mode (5G/4G/3G/2G)			
		AIRTEL	BSNL	RJIL	VIL
Download Throughput (Mbits/s)	Average	171.24	7.10	174.46	36.49
	80th Percentile	249.36	13.13	286.94	54.52
	20th Percentile	74.46	0.69	52.38	16.30
Upload Throughput (Mbits/s)	Average	26.94	3.93	32.91	18.84
	80th Percentile	47.71	5.69	56.26	30.27
	20th Percentile	7.01	1.16	7.79	6.61
Latency (ms)	50th Percentile	42.25	34.20	26.25	19.80

**Table-9:** Summary of data performance in network auto-selection mode.



**Figure- 5:** Download and Upload throughput

Number of unique cell Id's covered in Data test- Technology wise				
Technology	Service Provider			
	Auto-selection mode 5G/4G/3G/2G			
	AIRTEL	BSNL	RJIL	VIL
5G	0	NA	821	NA
4G	1202	174	84	1271
3G	NA	89	NA	NA
2G	0	17	NA	3

**Table-10:** Technology wise number of network cell Id's latched during drive test.

**Note-**

- NA- Service provider doesn't provide services in respective technology.
- 0- No cell Id's were found in respective technology.

## **Detailed QoS Performance Analysis**

## 4. Detailed QoS performance analysis


### 4.1 Overview

This section covers analysis on performance of various categories of drives like city, hotspots and walk test for all telecom service providers, the results of drive tests conducted is shown individually for respective areas/locations.

### 4.2 City

Drive test has been conducted from 17<sup>th</sup> February 2025 to 19<sup>th</sup> February 2025 in Rajkot. (Refer Table-1)

#### 4.2.1 Drive test route



**Figure- 6:** Drive test routes

#### 4.2.2 Areas covered


Nearby Airport Expansion, Kuvadava, Navagam, Rajkot bypass, Gondal-Sapar Road, SH-23, Rajkot South Taluka, Ring Road 1, Ring Road 2, Rajkot West Taluka, Rajkot East Taluka, Race Course Circle, Bhavnagar Circle flyover etc.

#### 4.2.3 Voice performance


**(a) Voice Call Performance in 3G/2G network mode only:** 3G/2G network mode testing has been done to reflect experience for respective users as they have only 3G/2G compatible handsets.

Parameters	Service Provider		
	3G/2G network mode only		
	AIRTEL	BSNL	VIL
Call Attempts	463	478	471
Call Setup Success Rate %	99.14	98.12	99.58
Drop Call Rate %	0.22	2.13	0.21
Call Setup Time-Average (Second)	5.09	3.35	2.93
Handover Success Rate %	99.04	99.95	97.62

**Table-11:** Summary of voice call performance in 3G/2G network mode only.



**Figure-7:** Performance for call setup success rate.



**Figure-8:** Performance for drop call rate.

**(b) Network Technology:** This section represent time spent on various network technologies.


Technology	Service Provider		
	AIRTEL	BSNL	VIL
3G	NA	91.81%	NA
2G	99.99%	8.09%	99.98%
Limited Service	0.01%	0.10%	0.02%

**Table-12:** Time spent on technology during drive test 3G/2G network mode.




**Note-**


- NA- Service provider doesn't provide services in respective technology.



**Figure-9:** Serving technology plots 3G/2G network mode – AIRTEL.




**Figure-10:** Serving technology plots 3G/2G network mode –BSNL.



**Figure-11:** Serving technology plots 3G/2G network mode –VIL.

**(c) Network Signal Strength Distribution:** The following chart represents signal strength distribution for 3G/2G network mode only. (Refer figure- 25, 26 & 27 for map view)



**Figure-12:** Signal strength distribution 3G/2G network mode only.

**Observations:**


- Airtel has 67% of samples falling in the excellent signal strength category.
- BSNL has 27% of samples falling in the excellent signal strength category.
- VIL has 50% of samples falling in the excellent signal strength category.

**(d) Voice Call Performance in auto network selection mode (5G/4G/3G/2G)**




Parameters	Service Provider			
	Auto-selection mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Call Attempts	558	597	565	558
Call Setup Success Rate %	99.82	90.12	99.82	100.00
Drop Call Rate %	0.00	1.12	0.18	0.18
Call Setup Time Average (Second)	1.26	1.78	0.73	0.79
Handover Success Rate %	99.94	99.58	99.91	100.00

**Table-13:** Summary of voice call performance in network auto-selection mode.



**Figure-13:** Performance for call setup success rate.



**Figure-14:** Performance for drop call rate.


Parameter	Service Provider			
	Mobile-to-Mobile (5G/4G - Open Mode)			
	AIRTEL	BSNL	RJIL	VIL
Call Established (within service provider Network)	538	518	536	539
Number of silence call for >4 Sec	0	36	3	3
Silence Call Rate %	0.00	6.95	0.56	0.56
Number of silence instances for >4 Sec	0	49	4	3
Number of silence instances for >3 Sec	2	64	12	12
Number of silence instances for >2 sec	14	83	35	58
RTP Jitter (4G & 5G) in ms	5.36	15.54	7.82	17.78
Packet loss Rate Downlink %	0.3	8.55	0.31	0.41
Packet loss Rate Uplink %	0.33	8.54	0.44	0.46

**Table-14:** Summary of silence instances & packet loss rate for mobile to mobile call.

**(e) Mean Opinion Score (MOS) performance for speech quality:**

Mean opinion score indicate quality of speech observed during the drive test across different technologies. This parameter has been calculated for mobile to mobile calls made within same operator network in auto mode (5G/4G/3G/2G). As per ITU-T Recommendation P.863.1, MOS score value means: 5-Excellent, 4-Good, 3-Fair, 2-Poor, 1-Bad

Speech Quality (MOS) distribution	Service Provider			
	AIRTEL	BSNL	RJIL	VIL
Total Number of MOS Samples for calls in table-16	3153	2573	3088	3166
Speech Quality (Average MOS Score)	4.02	2.91	3.91	4.53
Number of samples with MOS $\geq 4$ to $< 5$ (Excellent)	2652	542	2235	2815
Number of samples with MOS $\geq 3$ to $< 4$ (Good)	425	641	678	281
Number of samples with MOS $\geq 2$ to $< 3$ (Fair)	45	864	131	46
Number of samples with MOS $\geq 1$ to $< 2$ (Poor)	31	526	44	24
%age of samples with MOS $\geq 4$ to $< 5$ (Excellent)	84.11%	21.06%	72.38%	88.91%
%age of samples with MOS $\geq 3$ to $< 4$ (Good)	13.48%	24.91%	21.96%	8.88%
%age of samples with MOS $\geq 2$ to $< 3$ (Fair)	1.43%	33.58%	4.24%	1.45%
%age of samples with MOS $\geq 1$ to $< 2$ (Poor)	0.98%	20.44%	1.42%	0.76%


**Table-15:** Summary of speech quality (MOS) samples**Figure-15:** Distribution of samples in MOS score range.

**(f) Network Technology:** This section represent time spent on various network technologies.


Technology	Service Provider			
	AIRTEL	BSNL	RJIL	VIL
5G	7.83%	NA	18.20%	NA
4G	92.16%	77.89%	81.80%	99.78%
3G	NA	18.22%	NA	NA
2G	0.00%	3.46%	NA	0.22%
Limited Service	0.00%	0.43%	0.00%	0.00%

**Table-16:** Time spent on technology during drive test.**Note-**

- NA- Service provider doesn't provide services in respective technology.




**Figure-16:** Serving technology plots in auto-selection mode (5G/4G/3G/2G) -AIRTEL.




**Figure-17:** Serving technology plots in auto-selection mode (5G/4G/3G/2G) -BSNL.






**Figure-18:** Serving technology plots in auto-selection mode (5G/4G/3G/2G)- RJIL.



**Figure-19:** Serving technology plots in auto-selection mode (5G/4G/3G/2G) – VIL.

**(g) Network Signal Strength Distribution:** The following chart provide signal strength distribution for auto-selection mode (5G/4G/3G/2G). (Refer figure-28, 29, 30 & 31 for map view)



**Figure-20:** Signal strength distribution auto-selection mode 5G/4G/3G/2G.

#### Observations:


- Airtel has 33% samples falling in the excellent signal strength category.
- BSNL has 13% samples falling in the excellent signal strength category.
- RJIL has 61% samples falling in the excellent signal strength category.
- VIL has 49% samples falling in the excellent signal strength category.

## 4.2.4 Data performance


### (a) Data Parameters (Auto-selection mode- 5G/4G/3G/2G)

Parameters		Service Provider			
		Auto-selection mode (5G/4G/3G/2G)			
		AIRTEL	BSNL	RJIL	VIL
Download Throughput (Mbits/s)	Average	172.42	6.41	177.69	36.20
	80th Percentile	251.61	12.21	292.22	54.47
	20th Percentile	72.35	0.56	54.02	16.28
Upload Throughput (Mbits/s)	Average	27.20	3.66	33.66	18.77
	80th Percentile	47.70	5.44	56.88	30.17
	20th Percentile	7.09	1.13	9.31	6.59
Latency (ms)	50th Percentile	42.95	34.85	26.30	21.35

**Table-17:** Summary of Data performance in network auto-selection mode.



**Figure- 21:** Download throughput




**Figure- 22:** Upload throughput

## 4.3 Hotspots

Hotspot testing has been done on 19<sup>th</sup> February 2025 and 20<sup>th</sup> February 2025. Twelve locations have been tested in the city.

### 4.3.1 Locations



**Figure- 23:** Hotspot locations

### 4.3.2 Hotspot covered

1. Railway Station, Rajkot
2. Bus Stand, Rajkot
3. Medical College, Rajkot
4. Civil Court, Rajkot
5. Fun World, Rajkot
6. Para Bazar, Rajkot
7. Crystal Mall, Rajkot
8. Gunda Wadi Market
9. Mahatma Gandhi Museum
10. Kaba Gandhi No Delo
11. Rajkot International Airport
12. Marwadi University

### 4.3.3 Voice performance

Overall Voice Performance				
Parameters	Service Provider			
	Auto-selection mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Call Attempt	120	120	120	120
Call Setup Success Rate %	100.00	99.17	100.00	100.00
Drop Call Rate %	0.00	0.00	0.00	0.00
Call Setup Time-Average (Second)	1.25	0.68	0.66	0.71

**Table-18:** Overall summary of voice call performance in network auto-selection mode (5G/4G/3G/2G).

Railway Station, Rajkot				
Parameters	Service Provider			
	Auto-selection mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Call Attempt	10	10	10	10
Call Setup Success Rate %	100.00	90.00	100.00	100.00
Drop Call Rate %	0.00	0.00	0.00	0.00
Call Setup Time-Average (Second)	1.24	1.44	0.54	0.78

**Table-19:** Summary of voice call performance in network auto-selection mode (5G/4G/3G/2G).

Bus Stand, Rajkot				
Parameters	Service Provider			
	Auto-selection mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Call Attempt	10	10	10	10
Call Setup Success Rate %	100.00	100.00	100.00	100.00
Drop Call Rate %	0.00	0.00	0.00	0.00
Call Setup Time-Average (Second)	1.20	0.67	0.50	0.72

**Table-20:** Summary of voice call performance in network auto-selection mode (5G/4G/3G/2G).

Medical College, Rajkot				
Parameters	Service Provider			
	Auto-selection mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Call Attempt	10	10	10	10
Call Setup Success Rate %	100.00	100.00	100.00	100.00
Drop Call Rate %	0.00	0.00	0.00	0.00
Call Setup Time-Average (Second)	1.21	0.6	0.54	0.72

**Table-21:** Summary of voice call performance in network auto-selection mode (5G/4G/3G/2G).

Civil Court, Rajkot				
Parameters	Service Provider			
	Auto-selection mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Call Attempt	10	10	10	10
Call Setup Success Rate %	100.00	100.00	100.00	100.00
Drop Call Rate %	0.00	0.00	0.00	0.00
Call Setup Time-Average (Second)	1.20	0.73	1.92	0.63

**Table-22:** Summary of voice call performance in network auto-selection mode (5G/4G/3G/2G).



Fun World, Rajkot				
Parameters	Service Provider			
	Auto-selection mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Call Attempt	10	10	10	10
Call Setup Success Rate %	100.00	100.00	100.00	100.00
Drop Call Rate %	0.00	0.00	0.00	0.00
Call Setup Time-Average (Second)	1.24	0.61	0.61	0.79

**Table-23:** Summary of voice call performance in network auto-selection mode (5G/4G/3G/2G).

Para Bazar, Rajkot				
Parameters	Service Provider			
	Auto-selection mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Call Attempt	10	10	10	10
Call Setup Success Rate %	100.00	100.00	100.00	100.00
Drop Call Rate %	0.00	0.00	0.00	0.00
Call Setup Time-Average (Second)	1.38	0.61	0.51	0.63

**Table-24:** Summary of voice call performance in network auto-selection mode (5G/4G/3G/2G).

Crystal Mall, Rajkot				
Parameters	Service Provider			
	Auto-selection mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Call Attempt	10	10	10	10
Call Setup Success Rate %	100.00	100.00	100.00	100.00
Drop Call Rate %	0.00	0.00	0.00	0.00
Call Setup Time-Average (Second)	1.24	0.61	0.52	0.74

**Table-25:** Summary of voice call performance in network auto-selection mode (5G/4G/3G/2G).

Gunda Wadi Market				
Parameters	Service Provider			
	Auto-selection mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Call Attempt	10	10	10	10
Call Setup Success Rate %	100.00	100.00	100.00	100.00
Drop Call Rate %	0.00	0.00	0.00	0.00
Call Setup Time-Average (Second)	1.25	0.59	0.54	0.68

**Table-26:** Summary of voice call performance in network auto-selection mode (5G/4G/3G/2G).

Mahatma Gandhi Museum				
Parameters	Service Provider			
	Auto-selection mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Call Attempt	10	10	10	10
Call Setup Success Rate %	100.00	100.00	100.00	100.00
Drop Call Rate %	0.00	0.00	0.00	0.00
Call Setup Time-Average (Second)	1.25	0.56	0.50	0.73

**Table-27:** Summary of voice call performance in network auto-selection mode (5G/4G/3G/2G).

Kaba Gandhi No Delo				
Parameters	Service Provider			
	Auto-selection mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Call Attempt	10	10	10	10
Call Setup Success Rate %	100.00	100.00	100.00	100.00
Drop Call Rate %	0.00	0.00	0.00	0.00
Call Setup Time-Average (Second)	1.25	0.64	0.59	0.68

**Table-28:** Summary of voice call performance in network auto-selection mode (5G/4G/3G/2G).

Rajkot International Airport				
Parameters	Service Provider			
	Auto-selection mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Call Attempt	10	10	10	10
Call Setup Success Rate %	100.00	100.00	100.00	100.00
Drop Call Rate %	0.00	0.00	0.00	0.00
Call Setup Time-Average (Second)	1.20	0.65	0.54	0.72

**Table-29:** Summary of voice call performance in network auto-selection mode (5G/4G/3G/2G).

Marwadi University				
Parameters	Service Provider			
	Auto-selection mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Call Attempt	10	10	10	10
Call Setup Success Rate %	100.00	100.00	100.00	100.00
Drop Call Rate %	0.00	0.00	0.00	0.00
Call Setup Time-Average (Second)	1.30	0.60	0.59	0.75

**Table-30:** Summary of voice call performance in network auto-selection mode (5G/4G/3G/2G).

#### 4.3.4 Data performance (Auto-selection mode 5G/4G/3G/2G)

Overall Data Performance				
Parameters	Service Provider			
	Auto-selection mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Download Throughput Average (Mbits/s)	147.77	13.80	141.79	41.60
Download Throughput 80th Percentile (Mbit/s)	209.38	23.47	229.20	61.62
Download Throughput 20th Percentile (Mbit/s)	72.88	4.51	31.09	21.41
Download Session Setup Success Rate %	100.00	91.67	78.33	100.00
Upload Throughput Average (Mbits/s)	20.00	4.82	20.28	20.11
Upload Throughput 80th Percentile (Mbit/s)	29.16	6.00	41.15	33.21
Upload Throughput 20th Percentile (Mbit/s)	3.15	2.18	3.08	7.07
Upload Session Setup Success Rate %	100.00	91.67	100.00	100.00
Web Browsing Delay (Second)	3.15	6.53	3.27	2.36
Youtube Initial Buffer Delay (Second)	1.06	2.09	1.21	0.83
Latency (ms) - 50th Percentile	41.60	34.00	26.20	18.75
Jitter (ms)	8.24	25.44	11.63	4.92
Packet Loss Rate%	3.66	20.11	0.33	0.68
Packet Loss Rate- 90th percentile	8.57	83.54	0.60	0.98

**Table-31:** Overall summary Data performance in network auto-selection mode (5G/4G/3G/2G).

Railway Station, Rajkot				
Parameters	Service Provider			
	Auto-selection mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Download Throughput Average (Mbits/s)	214.23	6.42	331.52	45.98
Download Session Setup Success Rate %	100.00	100.00	80.00	100.00
Upload Throughput Average (Mbits/s)	14.84	2.30	56.36	18.06
Upload Session Setup Success Rate %	100.00	100.00	100.00	100.00
Web Browsing Delay (Second)	2.30	8.31	2.45	2.28
Youtube Initial Buffer Delay (Second)	0.97	1.86	0.81	0.82
Latency (ms)- 50th Percentile	36.15	37.05	26.60	18.15
Jitter (ms)	2.76	28.59	7.66	3.51
Packet Loss Rate%	0.00	5.70	0.40	0.50

**Table-32:** Summary of Data performance in network auto-selection mode (5G/4G/3G/2G).

Bus Stand, Rajkot				
Parameters	Service Provider			
	Auto-Selection Mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Download Throughput Average (Mbits/s)	184.43	2.51	39.06	32.14
Download Session Setup Success Rate %	100.00	60.00	60.00	100.00
Upload Throughput Average (Mbits/s)	17.36	2.19	3.07	29.69
Upload Session Setup Success Rate %	100.00	60.00	100.00	100.00
Web Browsing Delay (Second)	2.39	5.44	2.61	2.23
Youtube Initial Buffer Delay (Second)	0.66	4.55	1.91	0.65
Latency (ms) - 50th Percentile	35.85	64.50	24.75	17.78
Jitter (ms)	3.81	-	7.49	2.60
Packet Loss Rate%	0.20	99.90	0.20	0.80

**Table-33:** Summary of Data performance in network auto-selection mode (5G/4G/3G/2G).

**Note-** "-"Jitter is not reported for BSNL due to high packet loss rate of 99.90%

Medical College, Rajkot				
Parameters	Service Provider			
	Auto-Selection Mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Download Throughput Average (Mbits/s)	163.89	28.80	118.50	34.80
Download Session Setup Success Rate %	100.00	100.00	60.00	100.00
Upload Throughput Average (Mbits/s)	12.73	10.53	4.28	17.59
Upload Session Setup Success Rate %	100.00	100.00	100.00	100.00
Web Browsing Delay (Second)	2.30	7.95	2.64	2.43
Youtube Initial Buffer Delay (Second)	0.98	4.19	0.91	0.68
Latency (ms) - 50th Percentile	44.10	31.50	25.75	18.20
Jitter (ms)	16.53	14.74	25.06	3.70
Packet Loss Rate%	8.80	1.40	0.60	0.60

**Table-34:** Summary of Data performance in network auto-selection mode (5G/4G/3G/2G).

Civil Court, Rajkot				
Parameters	Service Provider			
	Auto-Selection Mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Download Throughput Average (Mbits/s)	171.75	1.78	43.75	29.59
Download Session Setup Success Rate %	100.00	80.00	40.00	100.00
Upload Throughput Average (Mbits/s)	17.84	0.98	2.92	22.65
Upload Session Setup Success Rate %	100.00	80.00	100.00	100.00
Web Browsing Delay (Second)	2.13	11.11	2.61	2.24
Youtube Initial Buffer Delay (Second)	0.89	2.82	2.50	0.83
Latency (ms) - 50th Percentile	42.10	41.85	25.33	18.00
Jitter (ms)	2.83	68.03	19.43	4.38
Packet Loss Rate%	0.00	26.30	0.40	0.60

**Table-35:** Summary of Data performance in network auto-selection mode (5G/4G/3G/2G).

Fun World, Rajkot				
Parameters	Service Provider			
	Auto-Selection Mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Download Throughput Average (Mbits/s)	55.42	18.59	92.21	36.53
Download Session Setup Success Rate %	100.00	100.00	100.00	100.00
Upload Throughput Average (Mbits/s)	2.79	3.54	20.69	3.97
Upload Session Setup Success Rate %	100.00	100.00	100.00	100.00
Web Browsing Delay (Second)	4.69	4.84	2.65	2.38
Youtube Initial Buffer Delay (Second)	1.56	2.27	0.67	0.76
Latency (ms) - 50th Percentile	54.00	33.00	26.68	21.40
Jitter (ms)	15.55	20.08	8.40	4.37
Packet Loss Rate%	1.70	2.10	0.30	0.50

**Table-36:** Summary of Data performance in network auto-selection mode (5G/4G/3G/2G).

Para Bazar, Rajkot				
Parameters	Service Provider			
	Auto-Selection Mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Download Throughput Average (Mbits/s)	197.14	10.77	294.78	44.42
Download Session Setup Success Rate %	100.00	100.00	100.00	100.00
Upload Throughput Average (Mbits/s)	26.57	3.31	38.48	37.49
Upload Session Setup Success Rate %	100.00	80.00	100.00	100.00
Web Browsing Delay (Second)	2.53	5.25	2.52	2.25
Youtube Initial Buffer Delay (Second)	0.84	1.50	0.59	0.60
Latency (ms) - 50th Percentile	42.03	33.43	23.95	18.05
Jitter (ms)	4.24	20.26	6.62	2.54
Packet Loss Rate%	0.00	2.00	0.00	0.30

**Table-37:** Summary of Data performance in network auto-selection mode (5G/4G/3G/2G).

Crystal Mall, Rajkot				
Parameters	Service Provider			
	Auto-Selection Mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Download Throughput Average (Mbits/s)	123.68	5.35	110.38	63.10
Download Session Setup Success Rate %	100.00	100.00	60.00	100.00
Upload Throughput Average (Mbits/s)	60.62	2.19	51.59	26.40
Upload Session Setup Success Rate %	100.00	100.00	100.00	100.00
Web Browsing Delay (Second)	2.76	8.40	2.54	2.22
Youtube Initial Buffer Delay (Second)	0.72	2.11	0.70	0.66
Latency (ms) - 50th Percentile	39.70	36.00	26.25	18.85
Jitter (ms)	2.40	26.41	12.27	5.01
Packet Loss Rate%	0.00	4.40	0.60	0.70

**Table-38:** Summary of Data performance in network auto-selection mode (5G/4G/3G/2G).

Gunda Wadi Market				
Parameters	Service Provider			
	Auto-Selection Mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Download Throughput Average (Mbits/s)	125.90	9.07	133.58	67.16
Download Session Setup Success Rate%	100.00	100.00	80.00	100.00
Upload Throughput Average (Mbits/s)	28.07	5.29	12.97	33.64
Upload Session Setup Success Rate %	100.00	100.00	100.00	100.00
Web Browsing Delay (Second)	2.74	5.63	2.82	2.14
Youtube Initial Buffer Delay (Second)	0.86	1.36	0.63	0.52
Latency (ms)- 50th Percentile	36.85	33.45	26.15	18.05
Jitter (ms)	2.24	25.20	10.37	2.62
Packet Loss Rate%	0.10	2.80	0.30	0.70

**Table-39:** Summary of Data performance in network auto-selection mode (5G/4G/3G/2G).

Mahatma Gandhi Museum				
Parameters	Service Provider			
	Auto-Selection Mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Download Throughput Average (Mbits/s)	375.73	13.87	247.23	88.53
Download Session Setup Success Rate%	100.00	100.00	100.00	100.00
Upload Throughput Average (Mbits/s)	49.64	5.38	34.95	32.25
Upload Session Setup Success Rate %	100.00	100.00	100.00	100.00
Web Browsing Delay (Second)	2.45	2.80	2.52	2.29
Youtube Initial Buffer Delay (Second)	0.70	0.97	0.61	1.65
Latency (ms)- 50th Percentile	33.85	31.80	23.40	17.60
Jitter (ms)	8.44	11.37	6.80	2.93
Packet Loss Rate%	0.20	2.00	0.00	0.70

**Table-40:** Summary of Data performance in network auto-selection mode (5G/4G/3G/2G).

Kaba Gandhi No Delo				
Parameters	Service Provider			
	Auto-Selection Mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Download Throughput Average (Mbits/s)	79.83	21.36	9.05	36.27
Download Session Setup Success Rate%	100.00	100.00	80.00	100.00
Upload Throughput Average (Mbits/s)	2.96	12.04	7.85	10.75
Upload Session Setup Success Rate %	100.00	100.00	100.00	100.00
Web Browsing Delay (Second)	5.16	7.27	3.25	2.17
Youtube Initial Buffer Delay (Second)	1.47	1.11	1.33	0.68
Latency (ms)- 50th Percentile	50.00	30.65	29.00	18.80
Jitter (ms)	6.01	22.17	6.28	3.16
Packet Loss Rate%	0.80	2.10	0.00	0.40

**Table-41:** Summary of Data performance in network auto-selection mode (5G/4G/3G/2G).

Rajkot International Airport				
Parameters	Service Provider			
	Auto-Selection Mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Download Throughput Average (Mbits/s)	77.88	27.60	155.76	10.66
Download Session Setup Success Rate%	100.00	100.00	80.00	100.00
Upload Throughput Average (Mbits/s)	5.29	3.49	8.41	6.69
Upload Session Setup Success Rate %	100.00	100.00	100.00	100.00
Web Browsing Delay (Second)	2.36	6.48	2.71	2.76
Youtube Initial Buffer Delay (Second)	0.83	0.99	0.62	1.03
Latency (ms)- 50th Percentile	69.50	33.15	23.80	20.05
Jitter (ms)	21.63	22.36	12.84	11.05
Packet Loss Rate%	25.60	2.70	0.20	1.30

**Table-42:** Summary of Data performance in network auto-selection mode (5G/4G/3G/2G).

Marwadi University				
Parameters	Service Provider			
	Auto-Selection Mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Download Throughput Average (Mbits/s)	3.40	11.81	16.45	10.05
Download Session Setup Success Rate%	100.00	60.00	100.00	100.00
Upload Throughput Average (Mbits/s)	1.27	4.36	1.74	2.09
Upload Session Setup Success Rate %	100.00	80.00	100.00	100.00
Web Browsing Delay (Second)	9.21	8.84	14.31	2.89
Youtube Initial Buffer Delay (Second)	8.18	2.53	6.16	1.09
Latency (ms)- 50th Percentile	65.00	46.40	35.30	22.50
Jitter (ms)	12.47	39.07	16.35	13.21
Packet Loss Rate%	6.50	89.90	1.00	1.00

**Table-43:** Summary of Data performance in network auto-selection mode (5G/4G/3G/2G).

#### 4.3.5 Data performance (5G Only & 4G Only Download & Upload Speed)

Overall Data Performance					
Parameters		Service Provider			
		AIRTEL	BSNL	RJIL	VIL
5G	Download Throughput Average (Mbits/s)	165.69	-	141.79	-
	Upload Throughput Average (Mbits/s)	23.15	-	20.28	-
4G	Download Throughput Average (Mbits/s)	43.09	17.00	30.79	40.08
	Upload Throughput Average (Mbits/s)	8.96	10.97	9.55	22.29

**Table-44:** Overall Summary of 5G only & 4G only data download & upload speed.

**Note-** "--Respective technology was not observed during the test.

Railway Station, Rajkot					
Parameters		Service Provider			
		AIRTEL	BSNL	RJIL	VIL
5G	Download Throughput Average (Mbits/s)	214.23	-	331.52	-
	Upload Throughput Average (Mbits/s)	14.84	-	56.36	-
4G	Download Throughput Average (Mbits/s)	36.08	10.61	33.72	39.84
	Upload Throughput Average (Mbits/s)	19.29	9.95	7.79	26.45

**Table-45:** Summary of data download & upload speed 5G only & 4G only.

**Note-** "--Respective technology was not observed during the test.

Bus Stand, Rajkot					
Parameters		Service Provider			
		AIRTEL	BSNL	RJIL	VIL
5G	Download Throughput Average (Mbits/s)	184.43	-	39.06	-
	Upload Throughput Average (Mbits/s)	17.36	-	3.07	-
4G	Download Throughput Average (Mbits/s)	85.09	4.31	20.24	5.08
	Upload Throughput Average (Mbits/s)	6.15	1.54	3.50	12.54

**Table-46:** Summary of 5G only & 4G only data download & upload speed.

**Note-** "--Respective technology was not observed during the test.

Medical College, Rajkot					
Parameters		Service Provider			
		AIRTEL	BSNL	RJIL	VIL
5G	Download Throughput Average (Mbits/s)	163.89	-	118.50	-
	Upload Throughput Average (Mbits/s)	12.73	-	4.28	-
4G	Download Throughput Average (Mbits/s)	10.92	40.01	28.31	32.47
	Upload Throughput Average (Mbits/s)	1.96	19.13	14.17	20.85

**Table-47:** Summary of 5G only & 4G only data download & upload speed.

**Note-** "--Respective technology was not observed during the test.

Civil Court, Rajkot					
Parameters		Service Provider			
		AIRTEL	BSNL	RJIL	VIL
5G	Download Throughput Average (Mbits/s)	171.75	-	43.75	-
	Upload Throughput Average (Mbits/s)	17.84	-	2.92	-
4G	Download Throughput Average (Mbits/s)	24.25	5.74	33.49	29.71
	Upload Throughput Average (Mbits/s)	7.14	10.07	17.69	25.14

**Table-48:** Summary of 5G only & 4G only data download & upload speed.

**Note-** "--Respective technology was not observed during the test.

Fun World, Rajkot					
Parameters		Service Provider			
		AIRTEL	BSNL	RJIL	VIL
5G	Download Throughput Average (Mbits/s)	55.42	-	92.21	-
	Upload Throughput Average (Mbits/s)	2.79	-	20.69	-
4G	Download Throughput Average (Mbits/s)	73.60	20.31	44.75	43.34
	Upload Throughput Average (Mbits/s)	10.75	9.54	6.56	26.97

**Table-49:** Summary of 5G only & 4G only data download & upload speed.

**Note-** "--Respective technology was not observed during the test.

Para Bazar, Rajkot					
Parameters		Service Provider			
		AIRTEL	BSNL	RJIL	VIL
5G	Download Throughput Average (Mbits/s)	197.14	-	294.78	-
	Upload Throughput Average (Mbits/s)	26.57	-	38.48	-
4G	Download Throughput Average (Mbits/s)	62.33	8.61	15.43	44.68
	Upload Throughput Average (Mbits/s)	11.28	10.60	17.85	36.38

**Table-50:** Summary of 5G only & 4G only data download & upload speed.

**Note-** "--Respective technology was not observed during the test.

Crystal Mall, Rajkot					
Parameters		Service Provider			
		AIRTEL	BSNL	RJIL	VIL
5G	Download Throughput Average (Mbits/s)	123.68	-	110.38	-
	Upload Throughput Average (Mbits/s)	60.62	-	51.59	-
4G	Download Throughput Average (Mbits/s)	27.12	14.31	61.19	58.81
	Upload Throughput Average (Mbits/s)	22.66	10.97	13.88	12.65

**Table-51:** Summary of 5G only & 4G only data download & upload speed.

**Note-** “-”Respective technology was not observed during the test.

Gunda Wadi Market					
Parameters		Service Provider			
		AIRTEL	BSNL	RJIL	VIL
5G	Download Throughput Average (Mbits/s)	125.90	-	133.58	-
	Upload Throughput Average (Mbits/s)	28.07	-	12.97	-
4G	Download Throughput Average (Mbits/s)	40.01	9.19	55.97	60.42
	Upload Throughput Average (Mbits/s)	8.55	13.19	12.50	35.09

**Table-52:** Summary of 5G only & 4G only data download & upload speed.

**Note-** “-”Respective technology was not observed during the test.

Mahatma Gandhi Museum					
Parameters		Service Provider			
		AIRTEL	BSNL	RJIL	VIL
5G	Download Throughput Average (Mbits/s)	375.73	-	247.23	-
	Upload Throughput Average (Mbits/s)	49.64	-	34.95	-
4G	Download Throughput Average (Mbits/s)	41.25	9.77	39.93	92.02
	Upload Throughput Average (Mbits/s)	1.33	11.79	8.40	41.41

**Table-53:** Summary of 5G only & 4G only data download & upload speed.

**Note-** “-”Respective technology was not observed during the test.

Kaba Gandhi No Delo					
Parameters		Service Provider			
		AIRTEL	BSNL	RJIL	VIL
5G	Download Throughput Average (Mbits/s)	-	-	9.05	-
	Upload Throughput Average (Mbits/s)	-	-	7.85	-
4G	Download Throughput Average (Mbits/s)	80.01	29.78	33.12	45.4
	Upload Throughput Average (Mbits/s)	10.84	20.78	8.85	15.36

**Table-54:** Summary of 5G only & 4G only data download & upload speed.

**Note-** “-”Respective technology was not observed during the test.



Rajkot Internation Airport					
Parameters		Service Provider			
		AIRTEL	BSNL	RJIL	VIL
5G	Download Throughput Average (Mbits/s)	77.88	-	155.76	-
	Upload Throughput Average (Mbits/s)	5.29	-	8.41	-
4G	Download Throughput Average (Mbits/s)	30.75	37.36	4.58	17.70
	Upload Throughput Average (Mbits/s)	5.57	10.36	1.70	9.60

**Table-55:** Summary of 5G only & 4G only data download & upload speed.

**Note-** “-”Respective technology was not observed during the test.

Marwadi University					
Parameters		Service Provider			
		AIRTEL	BSNL	RJIL	VIL
5G	Download Throughput Average (Mbits/s)	0.00	-	16.45	-
	Upload Throughput Average (Mbits/s)	1.70	-	1.74	-
4G	Download Throughput Average (Mbits/s)	5.70	7.68	5.33	11.47
	Upload Throughput Average (Mbits/s)	1.99	1.77	1.66	5.04


**Table-56:** Summary of 5G only & 4G only data download & upload speed.

**Note-** “-”Respective technology was not observed during the test.

## 4.4 Walk Test

Walk Test has been conducted on 19<sup>th</sup> February 2025. One location has been tested in the city.

### 4.4.1 Drive test route



**Figure-24:** Walk Test location.

### 4.4.2 Walk Test Covered

1. Railway Station, Rajkot

### 4.4.3 Voice Performance

Railway Station, Rajkot				
Parameters	Service Provider			
	Auto-selection mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Call Attempt	11	10	11	10
Call Setup Success Rate %	100.00	100.00	100.00	100.00
Drop Call Rate %	0.00	0.00	0.00	0.00
Call Setup Time-Average (Second)	1.24	0.70	0.58	0.82

**Table-57:** Summary of voice call performance in network auto-selection mode (5G/4G/3G/2G).

### 4.4.4 Data Performance

#### (a) Data Parameters (Auto-selection mode- 5G/4G/3G/2G)

Railway Station, Rajkot				
Parameters	Service Provider			
	Auto-selection mode (5G/4G/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL
Download Throughput Average (Mbits/s)	221.96	9.00	149.81	25.10
Download Session Setup Success Rate %	100.00	100.00	27.27	100.00
Upload Throughput Average (Mbits/s)	47.21	13.43	65.10	15.97
Upload Session Setup Success Rate %	100.00	100.00	100.00	100.00
Latency (ms) - 50th Percentile	40.00	31.38	27.70	19.50

**Table-58:** Summary of Data performance in network auto-selection mode (5G/4G/3G/2G).

## 5. Voice & Data Key findings

### 5.1 Overall Voice

#### 1. Call Setup Success Rate:

- a) Airtel, BSNL and VIL have 99.14%, 98.12% and 99.58% call setup success rate respectively in 3G/2G network mode. (refer table-3)
- b) Airtel, BSNL, RJIL and VIL have 99.85.%, 91.75%, 99.86% and 100.00% call setup success rate respectively in auto-selection mode (5G/4G/3G/2G). (refer table-5)

#### 2. Call Setup Time:

- a) Airtel, BSNL and VIL have 5.09, 3.35 and 2.93 call setup time respectively in 3G/2G network mode. (refer table-3)
- b) Airtel, BSNL, RJIL and VIL have 1.25, 1.56, 0.72 and 0.77 seconds call setup time respectively in Auto-selection mode (5G/4G/3G/2G). (refer table-5)

#### 3. Call Silence/Mute Rate:

In packet switched network (4G/5G), BSNL, RJIL, VIL and Airtel have 6.95%, 0.56%, 0.56% & 0.00% silence call rate respectively. Further BSNL has higher RTP packet loss rate in downlink (8.55%) compared to VIL (0.41%), RJIL (0.31%) and Airtel (0.30%). In uplink the RTP packet loss rate is higher for BSNL (8.54%) compared to VIL (0.46%), RJIL (0.44%) and Airtel (0.33%). (refer table-6)

#### 4. Drop Call Rate:

- a) Airtel, BSNL and VIL have 0.22%, 2.13% and 0.21% drop call rate respectively in 3G/2G network mode. (refer table-3)
- b) Airtel, BSNL, RJIL and VIL have 0.00%, 0.90%, 0.14% and 0.15% drop call rate respectively in Auto-selection mode (5G/4G/3G/2G). (refer table-5)

### 5.2 Overall Data

#### 1. Data download and upload performance (Overall i.e. LSA):

- a) Airtel, BSNL, RJIL and VIL have 171.24 Mbps, 7.10 Mbps, 174.46 Mbps and 36.49 Mbps average download speed respectively. (refer table-9)
- b) Airtel, BSNL, RJIL and VIL have 26.94 Mbps, 3.93 Mbps, 32.91 Mbps and 18.84 Mbps average upload speed respectively. (refer table-9)

#### 2. Data download and upload performance (static i.e. while stationary):

- a) Airtel, BSNL, RJIL and VIL have 147.77 Mbps, 13.80 Mbps, 141.79 Mbps and 41.60 Mbps average download speed respectively. (refer table-31)
- b) Airtel, BSNL, RJIL and VIL have 20.00 Mbps, 4.82 Mbps, 20.28 Mbps and 20.11 Mbps average upload speed respectively. (refer table-31)

#### 3. Data session setup success rate (static i.e. while stationary):

- a) Airtel, BSNL, RJIL and VIL have 100.00%, 91.67%, 78.33% and 100.00% download session setup success rate respectively. (refer table-31)
- b) Airtel, BSNL, RJIL and VIL have 100.00%, 91.67%, 100.00% and 100.00% upload session setup success rate. (refer table-31)

### 5.3 Operator wise Key Findings

## **1. Airtel:**

### **Voice**

- 99.14% call setup success rate and 0.22% drop call rate have been observed in 3G/2G network mode for LSA and city drive. (refer table-3 & 11)
- 99.85% call setup success rate and 0.00% drop call rate have been observed for auto-selection mode (5G/4G/3G/2G) for LSA. (refer table-5)
- 99.82% call setup success rate and 0.00% drop call rate have been observed for auto-selection mode (5G/4G/3G/2G) for city drive. (refer table-13)
- 100.00% call setup success rate and 0.00% drop call rate have been observed for auto-selection mode (5G/4G/3G/2G) for all hotspot locations and walk test. (refer table-18 & 57)

### **Data**

- Airtel has 171.24 Mbps average download speed & 26.94 Mbps average upload speed for LSA. (refer table-9)
- Airtel has 172.42 Mbps average download speed & 27.20 Mbps average upload speed for city drive. (refer table-17)
- Fun World Rajkot, Kaba Gandhi No Delo, Rajkot International Airport and Marwadi University have less download speed (less than 100 Mbps) out of total 12 Hotspots for auto-selection mode (5G/4G/3G/2G). (refer table-36, 41, 42 & 43)
- Railway Station Rajkot, Bus Stand Rajkot, Medical College Rajkot, Civil Court Rajkot, Fun World Rajkot, Kaba Gandhi No Delo, Rajkot International Airport and Marwadi University hotspot has less upload speed (less than 20 Mbps) out of total 12 Hotspots for auto-selection mode (5G/4G/3G/2G). (refer table-32, 33, 34, 35, 36, 41, 42 & 43)

## **2. BSNL:**

### **Voice**

- 98.12% call setup success rate and 2.13% drop call rate have been observed in 3G/2G network mode for LSA and city drive. (refer table-3 & 11)
- 91.75% call setup success rate and 0.90% drop call rate have been observed in auto-selection mode (5G/4G/3G/2G) for LSA. (refer table-5)
- 90.12% call setup success rate and 1.12% drop call rate have been observed in auto-selection mode (5G/4G/3G/2G) for city drive. (refer table-13)
- 99.17% call setup success rate and 0.00% drop call rate have been observed in auto-selection mode (5G/4G/3G/2G) for all hotspot locations. (refer table-18)
- 100.00% call setup success rate and 0.00% drop call rate have been observed in auto-selection mode (5G/4G/3G/2G) for walk test. (refer table-57)

### **Data**

- BSNL has 7.10 Mbps average download speed & 3.93 Mbps average upload speed for LSA. (refer table-9)

- BSNL has 6.41 Mbps average download speed & 3.66 Mbps average upload speed for city drive. (refer table-17)
- Railway Station Rajkot, Bus Stand Rajkot, Civil Court Rajkot, Crystal Mall, Rajkot, Gunda Wadi Market Hotspots have less download speed (less than 10 Mbps) for auto-selection mode (5G/4G/3G/2G). (refer table-32, 33, 35, 38 & 39)
- Civil Court Rajkot hotspot has less upload speed (less than 2 Mbps) for auto-selection mode (5G/4G/3G/2G). (refer table-35)
- Railway Station Rajkot walk test has less download speeds (less than 10 Mbps) for auto-selection mode (5G/4G/3G/2G). (refer table-58)

### **3. RJIL:**

#### **Voice**

- 99.86% call setup success rate and 0.14% drop call rate have been observed in auto-selection mode (5G/4G/3G/2G) for LSA. (refer table-5)
- 99.82% call setup success rate and 0.18% drop call rate have been observed in auto-selection mode (5G/4G/3G/2G) for city drive. (refer table-13)
- 100.00% call setup success rate and 0.00% drop call rate have been observed in auto-selection mode (5G/4G/3G/2G) at overall hotspot locations and walk test. (refer table-18 & 57)

#### **Data**

- RJIL has 174.46 Mbps average download speed & 32.91 Mbps average upload speed for LSA. (refer table-9)
- RJIL has 177.69 Mbps average download speed & 33.66 Mbps average upload speed in city drive. (refer table-17)
- Bus Stand Rajkot, Civil Court Rajkot, Fun World Rajkot, Kaba Gandhi No Delo and Marwadi University hotspot have less download speed (less than 100 Mbps) out of total 12 Hotspots for auto-selection mode (5G/4G/3G/2G). (refer table-33, 35, 36, 41 & 43)
- Bus Stand Rajkot, Medical College Rajkot, Civil Court Rajkot, Gunda Wadi Market, Kaba Gandhi No Delo, Rajkot International Airport and Marwadi University hotspot have less upload speed (less than 20 Mbps) out of total 12 Hotspots for auto-selection mode (5G/4G/3G/2G). (refer table-33, 34, 35, 39, 41, 42 & 43)

### **4. VIL:**

#### **Voice**

- 99.58% call setup success rate and 0.21% drop call rate have been observed in 3G/2G network mode for LSA and city drive. (refer table-3 & 11)
- 100.00% call setup success rate and 0.15% drop call rate have been observed for auto-selection mode (5G/4G/3G/2G) for LSA. (refer table-5)

- 100.00% call setup success rate and 0.18% drop call rate have been observed for auto-selection mode (5G/4G/3G/2G) for city drive. (refer table-13)
- 100.00% call setup success rate and 0.00% drop call rate have been observed in auto-selection mode (5G/4G/3G/2G) for all hotspot locations and walk test. (refer table-18 & 57)


**Data**

- VIL has 36.49 Mbps average download speed & 18.84 Mbps average upload speed for LSA. (refer table-9)
- VIL has 36.20 Mbps average download speed & 18.77 Mbps average upload speed in city drive. (refer table-17)

## 6. Annexure


### 6.1 Route wise coverage map

#### 6.1.1 City




**Figure-25:** Signal strength 3G/2G network mode – AIRTEL.






**Figure-26:** Signal strength 3G/2G network mode – BSNL.




**Figure-27:** Signal strength 3G/2G network mode – VIL.






**Figure-28:** Signal strength auto-selection mode 5G/4G/3G/2G – AIRTEL.




**Figure-29:** Signal strength auto-selection mode 5G/4G/3G/2G – BSNL.





**Figure-30:** Signal strength auto-selection mode 5G/4G/3G/2G – RJIL.



**Figure-31:** Signal strength auto-selection mode 5G/4G/3G/2G – VIL.

## 7. Appendix

The details of the setup used for conducting the drive test and the network or performance parameters captured under different conditions may be seen at Appendix-I. The calculation method of each QoS parameter is given in Appendix-II of the report. The summary of key equipment used in technical setup is as under

- **Device-1:** OnePlus Nord CE3 for 3G/2G CAT-15 Smartphone.
- **Device-2:** Samsung Galaxy S23 for 5G/4G/3G/2G CAT-20 Smartphone
- **Drive test Software:** Azenqos Engineering capable Applications to capture actual user experience.

### 7.1 Appendix-I

#### 7.1.1 Drive test setup

Voice Call		
Call details	Technology	Detail
Call Setup Timeout	<ul style="list-style-type: none"> <li>• 3G/2G auto mode- switch Call</li> <li>• 5G/4G/3G/2G auto mode- switch Call</li> <li>• 5G/4G MOS Call</li> </ul>	30 Sec
Call Duration		90 Sec
Wait/ Guard Time		15 Sec

**Table-59:** Voice test detail

**Note-**

- There is 15 sec wait time after locking and before starting first call in 3G/2G call.
- 10 calls to be made at each Hotspot location.
- Minimum 10 Calls to be made during the walk test. Call count will be increased based on walk test distance.
- Speech quality (MOS) has been measured only in city drive & highway by making Mobile to Mobile call.
- 180 Sec calls were made only in highway & railway route drive.


Data Test		
Test Type	Technology	Detail
HTTP/FTP Download	5G/4G/3G/2G Auto Mode	500 MB File- 30 Sec Timeout, (Multithread 3- TCP Connection at a time)
HTTP/FTP Upload		250 MB File- 30 Sec Timeout, (Multithread 3- TCP Connection at a time)
YouTube Streaming		20 Sec Video & 25 sec Timeout (Only at Hotspot)
Web Browsing		3 popular websites ( <a href="http://www.google.co.in">www.google.co.in</a> , <a href="http://www.amazon.in">www.amazon.in</a> , <a href="http://www.facebook.com">www.facebook.com</a> ) 20 sec timeout (only at Hotspot)

Latency		25 count- Dynamic 1000 count- Hotspot Payload- 42 bytes in all drive
---------	--	--

**Table-60:** Data test detail

**Note-**


- 5 Data iteration to be done at each hotspot location.
- Minimum 5 iteration to be made during the walk test. Iteration count will be increased based on walk test distance.
- Ping test to be performed only once at hotspot location.
- Youtube & Web browsing test to be performed at static location only.
- All values are taken up to two decimal places with round off.
- Download and upload testing has been done on FTP server for Airtel, BSNL & RJIL. (Airtel, BSNL & RJIL not provided HTTP server)
- VIL download and upload testing is done on HTTP Server.
- Download & Upload test performed at hotspot in 4G/3G/2G auto-selection also.



**Figure-32:** Number of handsets used in city & highway drive

MO: Mobile originating


MT: Mobile terminating



**Figure-33:** Number of handsets used in railway/metro/walktest/hotspot & coastal area

### 7.1.2 Drive test Methodology

#### (a) Dynamic voice testing (on the move)



**Figure-34:** Voice test script for city/railway/metro/highway & coastal area

- 15 sec wait time is applied after locking Radio Access Technology (RAT) to 3G/2G and before starting first call in 3G/2G call.
- Speech quality (MOS) will be measured only City & Highway drive by making Mobile to Mobile calls.


## (b) Hotspot voice testing



**Figure-35:** Voice test script for walktest/hotspot


- 10 calls to be made at each Hotspot location.
- Minimum 10 Calls to be made during the walk test. Call count will be increased based on walk test distance.

## (c) Dynamic Data (internet) test



**Figure-36:** Data test script used in city/metro/railway/highway/walk test & coastal area

## (d) Static Data(internet) testing



**Figure-37:** Data test script used at hotspot

- 5 Data iteration done at each hotspot location.
- Min. 5 iteration made during the walk test.
- Web browsing duration mentioned above is for one web site only.
- Only 1 ping iteration (with 1000 Count) done at hotspot location.
- Download & Upload test performed at hotspot in 4G/3G/2G auto-selection also.



## 7.2 Appendix-II

### 7.2.1 Network Performance Parameters for Voice calls

Parameter Name	Definition
Call Setup Success Rate	<p>(i) Call Setup Success Rate is defined as the ratio of Established Calls to Call Attempts. 'Established Calls' mean the following events have happened in call setup:</p> <ul style="list-style-type: none"> <li>(a) Call attempt is made</li> <li>(b) The signaling channel is allocated</li> <li>(c) The call is routed to the outwards path of the terminating network</li> <li>(d) An alert signal is received by caller in the form of ring back tone, busy tone, or an announcement.</li> </ul> <p>CSSR = (Total Call Established/ Total Call Attempt) *100</p> <p>As per QoS Regulation 2024 benchmark value is <b>&gt;=98%</b></p>
Call Drop Rate	<p>Call drop represents the service provider network's ability to maintain a call once it has been successfully established. This parameter shall include both incoming calls and outgoing calls which, once they have been established and have an assigned traffic channel/ bearer, are dropped, or interrupted before their normal completion by the user, the cause of the early termination being within the service provider's network</p> <p>Call Drop Rate = (Total Call Drop/Total Call Established) *100</p> <p>As per QoS Regulation 2024 benchmark value is <b>&lt;=2%</b></p>
Call Setup Time	<p>Time taken from call initiate to call alerting/ringing.</p> <p>Call Setup Time = T2- T1</p> <p>T2- Ringing (VoLTE/VoNR) &amp; Alerting (for WCDMA &amp; GSM), T1- Invite (VoLTE/VoNR) &amp; CM Service Request (for WCDMA &amp; GSM)</p>
Voice Quality (MOS)	<p>Voice quality in mobile networks is measured with algorithms based on ITU-T P.863 (POLQA). The grading for Voice quality has been given as:</p> <p>Excellent: MOS <math>\geq 4</math> and <math>&lt; 5</math>            Good : MOS <math>\geq 3</math> and <math>&lt; 4</math>            Fair : MOS <math>\geq 2</math> and <math>&lt; 3</math>            Poor : MOS <math>\geq 1</math> and <math>&lt; 2</math></p>
Handover Success Rate	<p>Handover Success Rate = Count of successful handovers (All Technology Handover combined) / Total count of Handover Attempt (All Technology Handover combined) *100</p> <p>Handover type which are considered- 2G Inter &amp; Intra cell, 3G Soft &amp; IRAT, 4G Inter &amp; Intra frequency &amp; SRVCC, 5G Inter &amp; Intra frequency &amp; 5G to 4G handovers.</p>
Silence Call	<p>A call which has <math>\geq 4</math> sec continuous RTP gap is considered as a Silence Call.</p> <p>Silence call rate = (count of silence call / Total calls established) *100</p> <p>If a call observes multiple silence count <math>\geq 4</math> sec in a particular established call it has been taken as one silent event.</p>

Jitter	<p>The inter arrival jitter is the difference in the relative transit time for two packets. The relative transit time is the difference between a packet's Real-time Transport Protocol (RTP) timestamp and the receiver's clock at the time of arrival, measured in the same units. If <math>S_i</math> is the RTP timestamp from packet <math>i</math>, and <math>R_i</math> is the time of arrival in RTP timestamps units for packet <math>i</math>, then for two packets <math>i</math> and <math>j</math> the inter-arrival jitter <math>D</math> can be expressed as:</p> $D(i,j) = (R_j - R_i) - (S_j - S_i)$ <p>The interarrival jitter is calculated continuously as each data packet <math>i</math> is received from source <math>SSRC\_n</math>, using this difference <math>D</math> for that packet and the previous packet <math>i-1</math> in order of arrival (not necessarily in sequence), according to the formula</p> $J(i) = J(i-1) + ( D(i-1,i)  - J(i-1))/16 \text{ or } 8$																																		
Downlink Packet Drop Rate	<p>Number of RTP (Real-time Transport Protocol) Packets lost divided by total RTP packet received (against each source_SSRC and sequence number) at call originating handset.</p> <p>This KPI is calculated from MOS call for packet call only (VoNR/VoLTE)</p>																																		
Uplink Packet Drop Rate	<p>Number of RTP (Real-time Transport Protocol) Packets lost divided by total RTP packet received (against each source_SSRC and sequence number) at call terminating handset. This KPI is calculated from MOS call for packet call only (VoNR/VoLTE).</p>																																		
Signal Strength	<p>Signal strength is the signal power level received by the wireless user.</p> <table><tr><th rowspan="2">Parameter Name</th><th rowspan="2">Technology</th><th colspan="4">Signal Strength (dBm)</th></tr><tr><th>Excellent</th><th>Good</th><th>Fair</th><th>Poor</th></tr><tr><td>Rx Level</td><td>GSM</td><td>0 to <math>\geq -65</math></td><td><math>&lt;-65</math> to <math>\geq -75</math></td><td><math>&lt;-75</math> to <math>\geq -85</math></td><td><math>&lt;-85</math> to min</td></tr><tr><td>RSCP</td><td>WCDMA</td><td>0 to <math>\geq -70</math></td><td><math>&lt;-70</math> to <math>\geq -80</math></td><td><math>&lt;-80</math> to <math>\geq -90</math></td><td><math>&lt;-90</math> to min</td></tr><tr><td>RSRP</td><td>LTE</td><td>0 to <math>\geq -80</math></td><td><math>&lt;-80</math> to <math>\geq -95</math></td><td><math>&lt;-95</math> to <math>\geq -110</math></td><td><math>&lt;-110</math> to min</td></tr><tr><td>SS_RSRP</td><td>NR</td><td>0 to <math>\geq -80</math></td><td><math>&lt;-80</math> to <math>\geq -95</math></td><td><math>&lt;-95</math> to <math>\geq -110</math></td><td><math>&lt;-110</math> to min</td></tr></table>	Parameter Name	Technology	Signal Strength (dBm)				Excellent	Good	Fair	Poor	Rx Level	GSM	0 to $\geq -65$	$<-65$ to $\geq -75$	$<-75$ to $\geq -85$	$<-85$ to min	RSCP	WCDMA	0 to $\geq -70$	$<-70$ to $\geq -80$	$<-80$ to $\geq -90$	$<-90$ to min	RSRP	LTE	0 to $\geq -80$	$<-80$ to $\geq -95$	$<-95$ to $\geq -110$	$<-110$ to min	SS_RSRP	NR	0 to $\geq -80$	$<-80$ to $\geq -95$	$<-95$ to $\geq -110$	$<-110$ to min
Parameter Name	Technology			Signal Strength (dBm)																															
		Excellent	Good	Fair	Poor																														
Rx Level	GSM	0 to $\geq -65$	$<-65$ to $\geq -75$	$<-75$ to $\geq -85$	$<-85$ to min																														
RSCP	WCDMA	0 to $\geq -70$	$<-70$ to $\geq -80$	$<-80$ to $\geq -90$	$<-90$ to min																														
RSRP	LTE	0 to $\geq -80$	$<-80$ to $\geq -95$	$<-95$ to $\geq -110$	$<-110$ to min																														
SS_RSRP	NR	0 to $\geq -80$	$<-80$ to $\geq -95$	$<-95$ to $\geq -110$	$<-110$ to min																														

**Table-61:** Network performance parameter and definition voice

## 7.2.2 Network Performance Parameters Data tests

Parameter Name	Definition
<b>Download Speed (Mbps)</b>	<p>The download speed is defined as the data transmission rate that is achieved for downloading a test file from a test server to a test device.</p> <p>Download Speed = Total bytes transferred during download / Total time for transfer</p> <ul style="list-style-type: none"> <li>80th percentile (upper range) &amp; 20th percentile (lower range) value has been calculated for download throughput in dynamic drive and Hotspot combine data</li> </ul>
<b>Upload Speed (Mbps)</b>	<p>The upload speed is the data transmission rate that is achieved for uploading a test file from a test device to a test server.</p> <p>Upload Speed = Total bytes transferred during upload / Total time for transfer.</p> <ul style="list-style-type: none"> <li>80th percentile (upper range) &amp; 20th percentile (lower range) value has been calculated for upload throughput in dynamic drive and Hotspot combine data.</li> </ul>



<b>Download Session Setup Success Rate</b>	(total download session established (successfully connected to server)/ total download session attempt) *100. This KPI has been calculated for Hotspot only.
<b>Upload Session Setup Success Rate</b>	(total upload session established (successfully connected to server)/ total upload session attempt)*100. This KPI need to report for Hotspot only.
<b>Web Page Download Time</b>	Web browsing test is used to measure performance in terms of opening a web/HTTP page.  Time taken to open the web page successfully is considered as web browsing delay/web page download time.
<b>Video Streaming Delay</b>	The Video streaming delay is time taken from start of video transfer to First video frame displayed in player.
<b>Latency</b>	Latency is the time it takes for a sMall data set to be transmitted from a device to a server on the Internet and back to the same device again. The Latency is measured in milliseconds (ms). To calculate the one-way latency we just do half of the round-trip time. 50th percentile of one-way latency has been reported.
<b>Jitter</b>	Measure of variation in time in arrival of packets from a source to destination  The consideration of packet delay jitter is considered by standard deviation of Inter Packet Delay Variation. If IPDV is used. By standard deviation is meant the average of standard deviation of IPDV on DL  $IPDV(i) = D(i) - D(i-1)$ then Stdvs of IPDV is considered as jitter.
<b>Packet Loss Rate</b>	Number of packets lost out of total packet transferred during test. Packet loss rate = (Total packet lost / Total packet sent) *100  * Packet delay (using ping) >90 ms considered as packet loss and included in packet loss rate.  * Packet loss rate is calculated based on ICMP  * 90th percentile for Packet loss rate has been reported in overall Hotspot performance summary.

**Table-62:** Network performance parameter and definition Data

**Disclaimer:** The observations presented above and, in the reports, represent the performance of the service providers on the area/route under test on the day/time of conducting the drive test and no inference whatsoever may be drawn regarding the quality of the telecom service by the service providers in the whole city/state/licensed service area.