

# **TELECOM REGULATORY AUTHORITY OF INDIA**

# Independent Drive Test Report

# Assam LSA

# June<sup>1</sup>2025

File No. AU-3/5/1(1)/2024-RO\_KOL-Part(1) (Computer No. 15081)

Generated from eOffice by VIRENDRA SINGH RAJPUT , SRO (VSR) - QoS-I, SENIOR RESEARCH OFFICER, TRAI on 25/07/2025 05-21 pm

# Contents

1. Introduction	3
2. Executive Summary (LSA)	3
2.1 Drive test details	3
2.2 Drive test routes	4
2.3 Summary of areas covered	4
2.4 Telecom service providers detected frequency bands	
2.5 Performance against key QoS parameters	5
3. QoS performance analysis-LSA level	6
3.1 Overview	
3.2 Voice performance	7
3.3 Data performance	
4. Detailed QoS performance analysis	
4.1 Overview	
4.2 City	
4.2.1 Drive test route	
4.2.2 Areas covered	13
4.2.3 Voice performance	14
4.2.4 Data performance	21
4.3 Hotspots	23
4.3.1 Locations	23
4.3.2 Hotspot covered	
4.3.3 Voice performance	23
4.3.4 Data performance (auto-selection mode 5G/4G/3G/2G) .	25
4.3.5 Data performance (5G Only & 4G Only Download & Uploa	ad
Speed)	28
5. Voice & Data Key findings	31
5.1 Overall Voice	31
5.2 Overall Data	31
5.3 Operator wise Key Findings	32
6. Annexure	35
6.1 Route wise coverage map	35
6.1.1 City	35
7. Appendix	39
7.1 Appendix-I	

41
43
43

# **1. Introduction**

TRAI Act, 1997 mandates the Authority to ensure the services delivered through various telecommunications networks meet required quality standards prescribed, to protect the interest of the consumers of telecommunication services. TRAI is also responsible for conducting the periodical audit of such services provided by the service providers so as to protect the interest of the consumers of telecommunications service.

Accordingly, TRAI has engaged M/s RedMango Analytics Pvt. Ltd. to undertake assessment of Quality of Service of mobile service through Independent Drive Test (IDT).

In IDT, the performance of all service providers providing service in a Licensed Service Area (LSA) through various technologies (like 2G/ 3G/ 4G/ 5G) for voice and data are measured by conducting drive test. The drive test routes are finalised based on various objective criteria like reported network performance, consumer complaints etc. Methodology adopted for conducting IDT is elaborated in **APPENDIX-I**.

# 2. Executive Summary (LSA)

## 2.1 Drive test details

This report covers the findings of the IDT undertaken in Assam License Service Area (LSA) during the month of June-2025 under the supervision of TRAI Regional Office (RO) Kolkata. Details of route / area covered during the IDT is as given below:

S. No	Drive test route	Type of route	Distance covered (KMs)	From date	To date
1	Dhubri City, Kokrajhar City and adjoining area	City	159.0	14-Jun-2025	16-Jun-2025
2	Kokrajhar City	Inter Operator Calling	1 Locations	16-Jun-2025	16-Jun-2025
3	Dhubri City and Kokrajhar City	Hotspot	8 Locations	14-Jun-2025	16-Jun-2025

Table-1: Drive test summary

## 2.2 Drive test routes

The map provides overview of drive test routes indicating city drive, interoperator calls test and hotspots as per the legends shown on the map.




Figure-1: Drive test routes

### 2.3 Summary of areas covered

**a) City**-Nearby Dobgaon, Khargaon, Magurmari, Hatimatha, Narabari, Owabari, Gendrabil, Mokrapara, Chokapara Pt.III, Gopigaon Pt.III, Bangalipara Pt.II, Bogribari, Alomganj, Khudimari, Jhagrarpar and Bidyapara etc.

### b) Hotspot-

- 1. B.N. College
- 2. Chakrasila Wildlife Sanctuary
- 3. Deputy Commissioner Office, Kokrajhar
- 4. Dhubri Bus Stand
- 5. IWD Ro-Ro Dhubri River Port
- 6. Kokrajhar Govt. College
- 7. Kokrajhar Medical College & Hospital
- 8. Office of DC and Court Building

# 2.4 Telecom service providers detected frequency bands

Technologies covered during the IDT and frequency bands in use are summarised in table below:

S.no.	Name of TSP	Technology	Frequency Bands (In MHz)
1	Bharti Airtel Ltd.	2G	900,1800
2	Bharti Airtel Ltd.	4G	900,1800,2100,2300
3	Bharti Airtel Ltd.	5G	3500
4	BSNL	2G	900
5	BSNL	4G	700,2100
6	Reliance JIO Infocomm Ltd.	4G	850,1800,2300
7	Reliance JIO Infocomm Ltd.	5G	700,3500
8	Vodafone Idea Ltd.	2G	1800
9	Vodafone Idea Ltd.	4G	1800

**Table-2:** Telecom service provider (TSP) covered in IDT

# 2.5 Performance against key QoS parameters

CSSR: Call Setup Success Rate (in %), CST: Call Setup Time (in seconds), DCR: Drop Call Rate (in %) & MOS: Mean Opinion Score.

CSSR	CST	DCR	Mute call	MOS	Avg. Download Speed (Mbps) Avg. Upload Speed (Mbps) Latency-50 <sup>th</sup> Percentile (ms)
Airtel	RJIL 0.63	Airtel 0.00%	Airtel 0.00%	VIL 4.60	RJIL 219.77 Airtel 20.55 RJIL 21.70
RJIL 100.00%	VIL 1.54	RJIL 0.00%	RJIL 1.05%	Airtel 4.03	Airtel 124.61 RJIL 15.36 Airtel 27.40
VIL 97.18%	Airtel 2.02	VIL 1.09%	VIL 1.58%	RIIL 3.89	VIL 23.69 VIL 7.65 BSNL 31.25
BSNL 79.07%	BSNL 3.19	BSNL 1.68%	BSNL does not provide VoLTE/ <u>VoNR</u> service	BSNL 2.97	1 BSNL 3.00 BSNL 4.82 VIL 50.50
	Summ	ary-Voice se	ervices		Summary-Data services
<ul> <li>Call Setup Success Rate: Airtel, BSNL, RJIL and VIL have call setup success rate of 100.00%, 79.07%, 100.00% and 97.18% respectively in Auto-selection mode (5G/4G/3G/2G).</li> <li>Call Setup Time: Airtel, BSNL, RJIL and VIL have call setup time of 2.02, 3.19, 0.63 &amp; 1.54 seconds respectively in Auto-selection mode (5G/4G/3G/2G).</li> <li>Drop Call Rate: Airtel, BSNL, RJIL and VIL have drop call rate of 0.00%, 1.68%, 0.00% &amp; 1.09% respectively in Auto-selection mode (5G/4G/3G/2G).</li> </ul>				o, 100.00% on mode c have call espectively have drop	<ul> <li>Data Download performance (Overall): Average download speed of Airtel (5G/4G) is 124.61 Mbps, BSNL (4G/2G) is 3.00 Mbps, RJIL (5G/4G) is 219.77 Mbps and VIL (4G/2G) is 23.69 Mbps.</li> <li>Data Upload performance (Overall): Average upload speed of Airtel (5G/4G/) is 20.55 Mbps, BSNL (4G/2G) is 4.82 Mbps, RJIL (5G/4G) is 15.36 Mbps and VIL (4G/2G) is 7.65 Mbps.</li> </ul>
<ul> <li>Call Silence/Mute Rate: Airtel, RJIL and VIL have silence call rate 0.00%, 1.05% and 1.58% respectively in packet switched network (5G/4G).</li> <li>Mean Opinion Score (MOS): Airtel, BSNL, RJIL and VIL have Average MOS of 4.03, 2.97, 3.89 &amp; 4.60 respectively.</li> </ul>				Data performance - Hotspots (in Mbps):           Airtel- 4G D/L: 54.13         4G U/L: 13.67           5G D/L: 50.60         5G U/L: 14.65           BSNL- 4G D/L: 4.08         4G U/L: 9.02           RJIL- 4G D/L: 37.55         4G U/L: 7.72           5G D/L: 92.00         5G U/L: 6.64           VIL- 4G D/L: 15.81         4G U/L: 6.53	
					Note- "D/L" Download speed, "U/L" Upload speed

190194/2025/RO\_KOL

# QoS Performance Analysis-Assam LSA

# 3. QoS performance analysis-LSA level

## 3.1 Overview


This section provides summary of overall QoS performance of the telecom service provider's network in the LSA by aggregating the results of drive tests conducted in the LSA during the month of Jun-2025 covering city drive and hotspots (Refer Table-1)

## 3.2 Voice performance

(a) Voice Call Performance in 3G/2G network mode only: 3G/2G network mode testing has been done to reflect experience for respective users as they have only 3G/2G compatible handsets.

	Service Provider 3G/2G network mode only AIRTEL BSNL VIL			
Parameters				
Call Attempts	192	221	191	
Call Setup Success Rate %	99.48	76.02	99.48	
Drop Call Rate %	0.52	1.19	0.00	
Call Setup Time-Average (Second)	3.57	3.01	3.86	
Handover Success Rate %	99.21	98.98	98.22	

**Table-3:** Summary of voice call performance in 3G/2G network mode only.



Number of unique cell Id's covered in Voice test- Technology wise					
Service Provider					
Technology	3G/2G network mode only				
	AIRTEL	BSNL	VIL		
3G	NA	NA	NA		
2G	222	69	177		

Figure-2: Call setup success rate and drop call rate performance.

 Table-4:
 Technology wise number of network cell Id's latched during drive test.


#### Note-

- RJIL does not have 3G/2G network.
- NA- Service provider doesn't provide services in respective technology.

	Service Provider					
Parameters	Auto-selection mode (5G/4G/3G/2G)					
	AIRTEL BSNL RJIL VIL					
Call Attempts	279	301	283	284		
Call Setup Success Rate %	100.00	79.07	100.00	97.18		
Drop Call Rate %	0.00	1.68	0.00	1.09		
Call Setup Time-Average (Second)	2.02	3.19	0.63	1.54		
Handover Success Rate %	99.72	98.43	99.78	100.00		

# (b) Voice Call Performance in auto network selection mode (5G/4G/3G/2G)

Table-5: Summary of voice call performance in network auto-selection mode.






Figure-3: Performance for call setup success rate and drop call rate.

	Service Provider					
Parameter	Mobile-to-Mobile					
		5G/4G - O	<u>pen Mode)</u>			
	AIRTEL	BSNL	RJIL	VIL		
Call Established (within service provider Network)	193	158	191	190		
Number of silence call for >4 Sec	0	NA	2	3		
Silence Call Rate %	0.00	NA	1.05	1.58		
Number of silence instances for >4 Sec	0	NA	4	5		
Number of silence instances for >3 Sec	2	NA	6	9		
Number of silence instances for >2 sec	7	NA	17	19		
RTP Jitter (4G & 5G) in ms	4.60	NA	8.28	5.91		
Packet loss Rate Downlink %	0.48	NA	0.50	0.72		
Packet loss Rate Uplink %	0.17	NA	0.76	0.90		

Table-6: Summary of silence instances & packet loss rate for mobile to mobile calls.

#### Note-

• NA- Due to unavailability of packet switched (VoLTE & VoNR) network in BSNL silence instances are not captured.

Number of unique cell Id's covered in Voice test- Technology wise							
	Service Provider						
Technology	Auto-sel	Auto-selection mode (5G/4G/3G/20					
	AIRTEL	BSNL	RJIL	VIL			
5G	0	NA	184	NA			
4G	549	96	549	171			
3G	NA	NA	NA	NA			
2G	0	63	NA	41			


**Table-7:** Technology wise number of network cell Id's latched during drive test.

- Note-
- NA- Service provider doesn't provide services in respective technology.
- 0- No cell Id's were found in respective technology.

### (c) Mean Opinion Score (MOS) performance for speech quality:

Mean opinion score indicates quality of speech observed during the drive test across different technologies. This parameter has been calculated for mobile-to-mobile calls made within same operator network in auto mode (5G/4G/3G/2G). As per ITU-T Recommendation P.863.1, MOS values means: 5-Excellent, 4-Good, 3-Fair, 2-Poor, 1-Bad.

Speech Quality (MOS) distribution	Service Provider			
Speech Quality (MOS) distribution	AIRTEL	BSNL	RJIL	VIL
Total Number of MOS Samples for calls table-6	1737	1265	1692	1689
Speech Quality (Average MOS)	4.03	2.97	3.89	4.60
Number of samples with MOS >=4 to <5 (Excellent)	1472	0	1263	1565
Number of samples with MOS $>=3$ to $<4$ (Good)	234	858	316	83
Number of samples with MOS $>=2$ to $<3$ (Fair)	17	307	66	25
Number of samples with MOS $>=1$ to $<2$ (Poor)	14	100	47	16
%age of samples with MOS >=4 to <5 (Excellent)	84.74%	0.00%	74.65%	92.66%
%age of samples with MOS >=3 to <4 (Good)	13.47%	67.83%	18.68%	4.91%
%age of samples with MOS >=2 to <3 (Fair)	0.98%	24.27%	3.90%	1.48%
%age of samples with MOS >=1 to <2 (Poor)	0.81%	7.91%	2.78%	0.95%






Figure- 4: Distribution of samples in MOS range.

(d) Inter-service provider voice call performance: To check the performance of inter-service provider call setup success rate, total 28 to 35 inter operator calls were attempted at one location which is Kohinoor hotel in Kokrajhar City. The Call setup success rate and call setup time observation is as below.

Call Setup Success Rate %							
To Service Provider							
From Service Provider	AIRTEL	BSNL	RJIL	VIL			
AIRTEL	NA	89.29	100.00	100.00			
BSNL	92.86	NA	100.00	81.82			
RJIL	97.06	96.77	NA	100.00			
VIL	100.00	97.06	100.00	NA			

Table-9: Call setup success rate across service providers.

#### Note-

• NA- Only inter-operator calls were measured during test.

Call setup time average (seconds)						
From Service Provider	To Service Provider					
From Service Provider	AIRTEL	BSNL	RJIL	VIL		
AIRTEL	NA	5.48	2.64	1.41		
BSNL	3.44	NA	3.95	3.51		
RJIL	1.97	4.50	NA	1.75		
VIL	1.64	4.38	2.49	NA		

Table-10: Call setup time across service providers.

Note-

• NA- Only inter-operator calls were measured during test.

## 3.3 Data performance

### (a) Data Parameters (Auto-selection mode- 5G/4G/3G/2G)

		Service Provider						
Paramet	Parameters			Auto-selection mode (5G/4G/3G/2G				
		AIRTEL	BSNL	RJIL	VIL			
Devenload Throughput	Average	124.61	3.00	219.77	23.69			
Download Throughput (Mbits/s)	80th Percentile	197.48	5.22	388.44	41.93			
	20th Percentile	26.67	0.81	15.03	6.71			
Unload Throughput	Average	20.55	4.82	15.36	7.65			
Upload Throughput (Mbits/s)	80th Percentile	38.02	7.96	27.29	9.65			
	20th Percentile	3.61	1.28	1.93	4.53			
Latency (ms)	50th Percentile	27.40	31.25	21.70	50.50			

**Table-11:** Summary of data performance in network auto-selection mode.




Figure- 5: Download and Upload throughput

Number of unique cell Id's covered in Data test- Technology wise						
		Service Pre	ovider			
Technology	Auto-selection mode (5G/4G/3G/2G)					
	AIRTEL	BSNL	RJIL	VIL		
5G	0	NA	247	NA		
4G	566	116	231	176		
3G	NA	NA	NA	NA		
2G	0	55	NA	42		

**Table-12:** Technology wise number of network cell Id's latched during drive test.

### Note-

- NA- Service provider doesn't provide services in respective technology.
- 0- No cell Id's were found in respective technology.

190194/2025/RO\_KOL

# Detailed QoS Performance Analysis

# 4. Detailed QoS performance analysis

## 4.1 Overview

This section covers analysis on performance of various categories of drives like city and hotspots for all telecom service providers, the results of drive tests conducted is shown individually for respective areas/locations.

# 4.2 City

Drive test has been conducted on 14<sup>th</sup> Jun 2025 and 16<sup>th</sup> Jun 2025 in Dhubri city, Kokrajhar city and adjoining area (Refer Table-1)



## 4.2.1 Drive test route



## 4.2.2 Areas covered.

Nearby Dobgaon, Khargaon, Magurmari, Hatimatha, Narabari, Owabari, Gendrabil, Mokrapara, Chokapara Pt.III, Gopigaon Pt.III, Bangalipara Pt.II, Bogribari, Alomganj, Khudimari, Jhagrarpar and Bidyapara etc.

## 4.2.3 Voice performance

(a) Voice Call Performance in 3G/2G network mode only: 3G/2G network mode testing has been done to reflect experience for respective users as they have only 3G/2G compatible handsets.

	9	Service Provider			
Parameters	3G/2G network mode only AIRTEL BSNL VIL				
Call Attempts	192	221	191		
Call Setup Success Rate %	99.48	76.02	99.48		
Drop Call Rate %	0.52	1.19	0.00		
Call Setup Time-Average (Second)	3.57	3.01	3.86		
Handover Success Rate %	99.21	98.98	98.22		




Table-13: Summary of voice call performance in 3G/2G network mode only.

Figure-7: Performance for call setup success rate.




Figure-8: Performance for drop call rate.

(b) **Network Technology:** This section represent time spent on various network technologies.

Technology	Service Provider			
Геспногоду	AIRTEL	BSNL	VIL	
3G	NA	NA	NA	
2G	100.00%	97.08%	99.99%	
Limited Service	0.00%	2.92%	0.01%	

Table-14: Time spent on technology during drive test 3G/2G network mode.

#### Note-

• NA- Service provider doesn't provide services in respective technology.




Figure-9: Serving technology plots 3G/2G network mode – AIRTEL




Figure-10: Serving technology plots 3G/2G network mode -BSNL.




Figure-11: Serving technology plots 3G/2G network mode -VIL.

(c) Network Signal Strength Distribution: The following chart represents signal strength distribution for 3G/2G network mode only. (Refer figure- 24, 25 & 26 for map view)




Figure-12: Signal strength distribution 3G/2G network mode only.


### **Observations:**


- Airtel has 20% of samples falling in the excellent signal strength category.
- BSNL has 6% of samples falling in the excellent signal strength category.
- VIL has 24% of samples falling in the excellent signal strength category.

	Service Provider					
Parameters	Auto-selection mode (5G/4G/3G/2G)					
	AIRTEL BSNL RJIL					
Call Attempts	199	221	203	204		
Call Setup Success Rate %	100.00	76.92	100.00	96.57		
Drop Call Rate %	0.00	2.35	0.00	1.52		
Call Setup Time Average (Second)	1.92	3.09	0.64	1.68		
Handover Success Rate %	99.71	98.15	99.81	100.00		

# (d) Voice Call Performance in auto network selection mode (5G/4G/3G/2G)

**Table-15:** Summary of voice call performance in network auto-selection mode.








Figure-14: Performance for drop call rate.

		Service Provider				
Parameter	Mobile-to-Mobile					
rarameter		e)				
	AIRTEL	BSNL	RJIL	VIL		
Call Established (within service provider Network)	193	158	191	190		
Number of silence call for >4 Sec	0	NA	2	3		
Silence Call Rate %	0.00	NA	1.05	1.58		
Number of silence instances for >4 Sec	0	NA	4	5		
Number of silence instances for >3 Sec	2	NA	6	9		
Number of silence instances for >2 sec	7	NA	17	19		
RTP Jitter (4G & 5G) in ms	4.60	NA	8.28	5.91		
Packet loss Rate Downlink %	0.48	NA	0.50	0.72		
Packet loss Rate Uplink %	0.17	NA	0.76	0.90		

Table-16: Summary of silence instances & packet loss rate for mobile to mobile call.

### Note-

 NA- Due to unavailability of packet switched (VoLTE & VoNR) network in BSNL silence instances are not captured.

### (e) Mean Opinion Score (MOS) performance for speech quality:

Mean opinion score indicate quality of speech observed during the drive test across different technologies. This parameter has been calculated for mobile to mobile calls made within same operator network in auto mode (5G/4G/3G/2G). As per ITU-T Recommendation P.863.1, MOS value means: 5-Excellent, 4-Good, 3-Fair, 2-Poor, 1-Bad.

Speech Quality (MOS) distribution		Service	Provider	
	AIRTEL	BSNL	RJIL	VIL
Total Number of MOS Samples for calls in table-16	1737	1265	1692	1689
Speech Quality (Average MOS)	4.03	2.97	3.89	4.60
Number of samples with MOS >=4 to <5 (Excellent)	1472	0	1263	1565
Number of samples with MOS >=3 to <4 (Good)	234	858	316	83
Number of samples with MOS >=2 to <3 (Fair)	17	307	66	25
Number of samples with MOS >=1 to <2 (Poor)	14	100	47	16
%age of samples with MOS >=4 to <5 (Excellent)	84.74%	0.00%	74.65%	92.66%
%age of samples with MOS >=3 to <4 (Good)	13.47%	67.83%	18.68%	4.91%
% age of samples with MOS >=2 to <3 (Fair)	0.98%	24.27%	3.90%	1.48%
%age of samples with MOS >=1 to <2 (Poor)	0.81%	7.91%	2.78%	0.95%




Table-17: Summary of speech quality (MOS) samples

Figure-15: Distribution of samples in MOS range.

(f) **Network Technology:** This section represent time spent on various network technologies.

Technology	Service Provider					
reciniology	AIRTEL	BSNL	RJIL	VIL		
5G	1.33%	NA	12.56%	NA		
4G	98.67%	13.46%	87.44%	86.52%		
3G	NA	NA	NA	NA		
2G	0.00%	79.23%	NA	13.35%		
Limited Service	0.00%	7.32%	0.00%	0.13%		

**Table-18:** Time spent on technology during drive test.

### Note-

• NA- Service provider doesn't provide services in respective technology.




Figure-16: Serving technology plots in auto-selection mode (5G/4G/3G/2G) -AIRTEL.




Figure-17: Serving technology plots in auto-selection mode (5G/4G/3G/2G) -BSNL.




Figure-18: Serving technology plots in auto-selection mode (5G/4G/3G/2G)- RJIL.




Figure-19: Serving technology plots in auto-selection mode (5G/4G/3G/2G) – VIL.

**(g) Network Signal Strength Distribution:** The following chart provides signal strength distribution for auto-selection mode (5G/4G/3G/2G). (Refer figure-27, 28, 29 & 30 for map view)




Figure-20: Signal strength distribution auto-selection mode 5G/4G/3G/2G.

### **Observations:**


- Airtel has 23% of samples falling in the excellent signal strength category.
- BSNL has 7% of samples falling in the excellent signal strength category.
- RJIL has 32% of samples falling in the excellent signal strength category.
- VIL has 16% of samples falling in the excellent signal strength category.

### 4.2.4 Data performance

Parameters		Service Provider Auto-selection mode (5G/4G/3G/2G)				
	Average	130.99	2.73	236.37	24.35	
Download Throughput (Mbits/s)	80th Percentile	203.43	4.84	427.37	42.65	
(11013/3)	20th Percentile	25.41	0.50	19.65	8.01	
	Average	21.81	4.24	16.54	8.00	
Upload Throughput (Mbits/s)	80th Percentile	41.73	6.33	29.60	9.67	
(11013/3)	20th Percentile	3.37	1.28	2.17	6.63	
Latency (ms)	50th Percentile	25.85	29.70	20.00	46.55	

### (a) Data Parameters (Auto-selection mode- 5G/4G/3G/2G)

Table-19: Summary of Data performance in network auto-selection mode.



**Figure- 21:** Download throughput






Figure- 22: Upload throughput

## 4.3 Hotspots

Hotspots testing has been done on 14<sup>th</sup> Jun 2025 and 16<sup>th</sup> Jun 2025. Eight locations have been tested in the Dhubri City and Kokrajhar City.

## 4.3.1 Locations





## 4.3.2 Hotspot covered

- 1. B.N. College
- 2. Chakrasila Wildlife Sanctuary
- 3. Deputy Commissioner Office, Kokrajhar
- 4. Dhubri Bus Stand
- 5. IWD Ro-Ro Dhubri River Port
- 6. Kokrajhar Govt. College
- 7. Kokrajhar Medical College & Hospital
- 8. Office of DC and Court Building

## 4.3.3 Voice performance

Overall Voice Performance					
	Provider				
Parameters	Auto-selection mode (5G/4G/3G/2				
	AIRTEL	BSNL	RJIL	VIL	
Call Attempt	80	80	80	80	
Call Setup Success Rate %	100.00	85.00	100.00	98.75	
Drop Call Rate %	0.00	0.00	0.00	0.00	
Call Setup Time-Average (Second)	2.26	3.44	0.60	1.20	

**Table-20:** Overall summary of voice call performance in network auto-selection mode (5G/4G/3G/2G).

B.N. College							
		Service Provider					
Parameters	Auto-selection mode (5G/4G/3G/2						
	AIRTEL	BSNL	RJIL	VIL			
Call Attempt	10	10	10	10			
Call Setup Success Rate %	100.00	100.00	100.00	100.00			
Drop Call Rate %	0.00	0.00	0.00	0.00			
Call Setup Time-Average (Second)	1.96	2.76	0.63	1.14			

Table-21: Summary of voice call performance in network auto-selection mode (5G/4G/3G/2G).

Chakrasila Wildlife Sanctuary						
		Service	Provider			
Parameters	Auto-selection mode (5G/4G/3G/2G)					
	AIRTEL	BSNL	RJIL	VIL		
Call Attempt	10	10	10	10		
Call Setup Success Rate %	100.00	80.00	100.00	100.00		
Drop Call Rate %	0.00	0.00	0.00	0.00		
Call Setup Time-Average (Second)	1.83	8.20	0.58	0.99		

Table-22: Summary of voice call performance in network auto-selection mode (5G/4G/3G/2G).

Deputy Commissioner Office, Kokrajhar							
		Service	Provider				
Parameters	Auto-se	Auto-selection mode (5G/4G/3G/2G)					
	AIRTEL	BSNL	RJIL	VIL			
Call Attempt	10	10	10	10			
Call Setup Success Rate %	100.00	100.00	100.00	90.00			
Drop Call Rate %	0.00	0.00	0.00	0.00			
Call Setup Time-Average (Second)	4.79	2.76	0.58	1.18			

Table-23: Summary of voice call performance in network auto-selection mode (5G/4G/3G/2G).

Dhubri Bus Stand							
		Service	Provider				
Parameters	Auto-se	election mo	ode (5G/4G/	'3G/2G)			
	AIRTEL	BSNL	RJIL	VIL			
Call Attempt	10	10	10	10			
Call Setup Success Rate %	100.00	100.00	100.00	100.00			
Drop Call Rate %	0.00	0.00	0.00	0.00			
Call Setup Time-Average (Second)	1.83	2.52	0.53	1.15			

Table-24: Summary of voice call performance in network auto-selection mode (5G/4G/3G/2G).

IWD Ro-Ro Dhubri River Port						
	Service Provider					
Parameters Auto-selection mode (5G/4G/3G/2						
	AIRTEL	BSNL	RJIL	VIL		
Call Attempt	10	10	10	10		
Call Setup Success Rate %	100.00	100.00	100.00	100.00		
Drop Call Rate %	0.00	0.00	0.00	0.00		
Call Setup Time-Average (Second)	1.92	3.94	0.56	1.39		

Table-25: Summary of voice call performance in network auto-selection mode (5G/4G/3G/2G).

Kokrajhar Govt. College						
		Service	Provider			
Parameters	Auto-selection mode (5G/4G/3G/					
	AIRTEL	BSNL	RJIL	VIL		
Call Attempt	10	10	10	10		
Call Setup Success Rate %	100.00	100.00	100.00	100.00		
Drop Call Rate %	0.00	0.00	0.00	0.00		
Call Setup Time-Average (Second)	1.87	2.82	0.56	1.16		

Table-26: Summary of voice call performance in network auto-selection mode (5G/4G/3G/2G).

Kokrajhar Medical College & Hospital						
		Service	Provider			
Parameters Auto-selection mode (5G/4G/3						
	AIRTEL	BSNL	RJIL	VIL		
Call Attempt	10	10	10	10		
Call Setup Success Rate %	100.00	0.00	100.00	100.00		
Drop Call Rate %	0.00	-	0.00	0.00		
Call Setup Time-Average (Second)	1.96	-	0.76	1.31		

Table-27: Summary of voice call performance in network auto-selection mode (5G/4G/3G/2G).

**Note**- "-" Call setup time & drop call rate have not been reported as all calls were failed at this location.

Office of DC and Court Building						
		Service	Provider			
Parameters	Parameters Auto-selection mode (5G/4G/3G/					
	AIRTEL	BSNL	RJIL	VIL		
Call Attempt	10	10	10	10		
Call Setup Success Rate %	100.00	100.00	100.00	100.00		
Drop Call Rate %	0.00	0.00	0.00	0.00		
Call Setup Time-Average (Second)	1.92	2.00	0.63	1.29		

**Table-28:** Summary of voice call performance in network auto-selection mode (5G/4G/3G/2G).

## 4.3.4 Data performance (auto-selection mode 5G/4G/3G/2G)

Overall Data Performance					
Parameters	Service Provider Auto-selection mode (5G/4G/3G/2G)				
	AIRTEL	BSNL	RJIL	VIL	
Download Throughput Average (Mbits/s)	79.46	3.75	103.10	19.81	
Download Throughput 80th Percentile (Mbit/s)	120.32	5.46	198.41	37.81	
Download Throughput 20th Percentile (Mbit/s)	39.97	2.07	9.12	2.81	
Download Session Setup Success Rate %	92.50	85.00	92.50	97.50	
Upload Throughput Average (Mbits/s)	11.56	6.52	7.54	5.66	
Upload Throughput 80th Percentile (Mbit/s)	18.13	12.48	15.96	9.48	
Upload Throughput 20th Percentile (Mbit/s)	4.44	1.29	1.47	1.17	
Upload Session Setup Success Rate %	90.00	87.50	95.00	97.50	
Web Browsing Delay (Second)	1.86	4.46	2.54	3.01	
Youtube Initial Buffer Delay (Second)	0.88	2.55	0.98	1.26	
Latency (ms) - 50th Percentile	28.65	31.50	23.05	55.50	
Jitter (ms)	12.48	13.66	119.45	125.93	
Packet Loss Rate%	2.03	19.94	14.80	34.00	
Packet Loss Rate- 90th percentile	5.08	40.22	30.54	99.23	

**Table-29:** Overall Summary of Data performance in network auto-selection mode (5G/4G/3G/2G).

B.N. College						
	Service Provider					
Parameters	Auto-Se	ection Mod	de (5G/4G	/3G/2G)		
	AIRTEL	BSNL	RJIL	VIL		
Download Throughput Average (Mbits/s)	133.91	6.60	58.89	7.98		
Download Session Setup Success Rate %	100.00	100.00	100.00	100.00		
Upload Throughput Average (Mbits/s)	17.39	14.34	4.18	5.23		
Upload Session Setup Success Rate %	100.00	100.00	100.00	100.00		
Web Browsing Delay (Second)	2.11	4.74	2.46	2.70		
Youtube Initial Buffer Delay (Second)	0.61	0.88	1.51	1.22		
Latency (ms) - 50th Percentile	22.73	28.85	22.95	44.55		
Jitter (ms)	4.71	3.99	109.02	7.21		
Packet Loss Rate%	0.00	2.90	13.00	1.60		

**Table-30:** Summary of Data performance in network auto-selection mode (5G/4G/3G/2G).

Chakrasila Wildlife Sanctuary					
		Service F	Provider		
Parameters	Auto-Selection Mode (5G/4G/3G/2				
	AIRTEL BSNL RJIL				
Download Throughput Average (Mbits/s)	56.81	1.65	237.65	36.08	
Download Session Setup Success Rate %	40.00	100.00	100.00	100.00	
Upload Throughput Average (Mbits/s)	5.34	1.09	19.37	8.15	
Upload Session Setup Success Rate %	20.00	100.00	100.00	100.00	
Web Browsing Delay (Second)	1.87	5.52	1.61	2.51	
Youtube Initial Buffer Delay (Second)	0.93	7.59	0.74	0.83	
Latency (ms) - 50th Percentile	36.70	32.55	14.60	54.00	
Jitter (ms)	26.30	13.56	2.26	36.90	
Packet Loss Rate%	3.50	3.90	0.00	41.10	

**Table-31:** Summary of Data performance in network auto-selection mode (5G/4G/3G/2G).

Deputy Commissioner Office, Kokrajhar						
	Service Provider					
Parameters	Auto-Se	ection Mod	e (5G/4G	/3G/2G)		
	AIRTEL	BSNL	RJIL	VIL		
Download Throughput Average (Mbits/s)	99.63	3.42	131.06	39.97		
Download Session Setup Success Rate %	100.00	100.00	100.00	100.00		
Upload Throughput Average (Mbits/s)	3.48	6.96	2.28	9.30		
Upload Session Setup Success Rate %	100.00	100.00	100.00	100.00		
Web Browsing Delay (Second)	1.51	2.73	1.73	2.57		
Youtube Initial Buffer Delay (Second)	1.35	1.08	0.69	0.73		
Latency (ms) - 50th Percentile	30.70	29.50	21.48	46.15		
Jitter (ms)	8.16	7.58	22.04	4.37		
Packet Loss Rate%	0.10	4.30	2.70	0.20		

**Table-32:** Summary of Data performance in network auto-selection mode (5G/4G/3G/2G).

Dhubri Bus Stand					
	Service Provider				
Parameters	Auto-Se	ection Mod	e (5G/4G	/3G/2G)	
	AIRTEL	BSNL	RJIL	VIL	
Download Throughput Average (Mbits/s)	43.07	2.72	59.11	7.55	
Download Session Setup Success Rate %	100.00	100.00	80.00	100.00	
Upload Throughput Average (Mbits/s)	10.82	4.10	2.24	2.01	
Upload Session Setup Success Rate %	100.00	100.00	80.00	100.00	
Web Browsing Delay (Second)	2.26	5.45	-	2.71	
Youtube Initial Buffer Delay (Second)	1.12	2.58	-	1.33	
Latency (ms) - 50th Percentile	35.35	31.18	30.88	54.50	
Jitter (ms)	20.27	23.90	77.11	13.94	
Packet Loss Rate%	5.50	13.00	10.20	2.40	

Table-33: Summary of Data performance in network auto-selection mode (5G/4G/3G/2G).

**Note**-"-" Web browsing and YouTube tests were failed.

IWD Ro-Ro Dhubri River Port							
	Service Provider						
Parameters	Auto-Sele	ction Mod	e (5G/4G	/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL			
Download Throughput Average (Mbits/s)	84.61	2.10	36.42	0.12			
Download Session Setup Success Rate%	100.00	80.00	100.00	80.00			
Upload Throughput Average (Mbits/s)	25.18	1.25	5.06	0.08			
Upload Session Setup Success Rate %	100.00	100.00	100.00	80.00			
Web Browsing Delay (Second)	2.38	7.31	2.29	-			
Youtube Initial Buffer Delay (Second)	0.97	7.36	1.10	-			
Latency (ms)- 50th Percentile	26.05	38.00	24.88	205.50			
Jitter (ms)	11.23	6.94	69.26	101.06			
Packet Loss Rate%	0.30	13.00	11.00	100.00			

Table-34: Summary of Data performance in network auto-selection mode (5G/4G/3G/2G).

**Note**-"-" Web browsing and YouTube tests were failed.

Kokrajhar Govt. College							
	Service Provider						
Parameters	Auto-Se	Auto-Selection Mode (5G/4G/3G/2G)					
	AIRTEL	BSNL	RJIL	VIL			
Download Throughput Average (Mbits/s)	28.54	2.67	239.51	43.82			
Download Session Setup Success Rate %	100.00	100.00	100.00	100.00			
Upload Throughput Average (Mbits/s)	14.22	4.62	23.01	9.56			
Upload Session Setup Success Rate %	100.00	100.00	100.00	100.00			
Web Browsing Delay (Second)	1.69	2.92	1.53	2.62			
Youtube Initial Buffer Delay (Second)	0.63	1.26	0.72	0.81			
Latency (ms) - 50th Percentile	25.65	30.50	17.83	56.50			
Jitter (ms)	6.09	10.96	9.44	38.87			
Packet Loss Rate%	1.90	14.60	0.10	13.30			

Table-35: Summary of Data performance in network auto-selection mode (5G/4G/3G/2G).

Kokrajhar Medical College & Hospital								
	Service Provider							
Parameters	Auto-Se	ection Mod	e (5G/4G	/3G/2G)				
	AIRTEL	BSNL	RJIL	VIL				
Download Throughput Average (Mbits/s)	128.60	-	11.92	1.14				
Download Session Setup Success Rate %	100.00	0.00	100.00	100.00				
Upload Throughput Average (Mbits/s)	4.66	-	0.83	0.50				
Upload Session Setup Success Rate %	100.00	0.00	100.00	100.00				
Web Browsing Delay (Second)	1.45	-	5.91	7.99				
Youtube Initial Buffer Delay (Second)	0.75	-	-	9.52				
Latency (ms) - 50th Percentile	28.35	-	28.23	1499.00				
Jitter (ms)	6.10 - 508.27 794.9							
Packet Loss Rate%	0.00	100.00	15.30	98.90				

Table-36: Summary of Data performance in network auto-selection mode (5G/4G/3G/2G).

**Note**-"-" All respective tests were failed.

Office of DC and Court Building							
	Service Provider						
Parameters	Auto-Se	lection Mod	e (5G/4G	/3G/2G)			
	AIRTEL	BSNL	RJIL	VIL			
Download Throughput Average (Mbits/s)	46.95	6.74	0.36	17.87			
Download Session Setup Success Rate %	100.00	100.00	60.00	100.00			
Upload Throughput Average (Mbits/s)	6.44	13.31	1.02	9.34			
Upload Session Setup Success Rate %	100.00	100.00	80.00	100.00			
Web Browsing Delay (Second)	2.08	5.01	5.76	2.49			
Youtube Initial Buffer Delay (Second)	0.64	2.03	-	1.00			
Latency (ms) - 50th Percentile	28.65	31.23	220.50	53.50			
Jitter (ms)	17.01	29.24	166.22	24.55			
Packet Loss Rate%	4.90	7.80	66.10	14.50			

Table-37: Summary of Data performance in network auto-selection mode (5G/4G/3G/2G).

**Note**-"-" Youtube test were failed.

# 4.3.5 Data performance (5G Only & 4G Only Download & Upload Speed)

Overall Data Performance						
Service Provider				rovider		
Parameters		AIRTEL	BSNL	RJIL	VIL	
50	Download Throughput Average (Mbits/s)	50.60	-	92.00	-	
5G	Upload Throughput Average (Mbits/s)	14.65	-	6.64	-	
4G	Download Throughput Average (Mbits/s)	54.13	4.08	37.55	15.81	
4G	Upload Throughput Average (Mbits/s)	13.67	9.02	7.72	6.53	

**Table-38:** Overall Summary of 5G only & 4G only data download & upload speed.

**Note**- "-"Respective technology was not observed during the test.

	B.N. college							
	Development	Service Provider						
	Parameters		BSNL	RJIL	VIL			
5G	Download Throughput Average (Mbits/s)	-	-	41.86	-			
56	Upload Throughput Average (Mbits/s)	20.07	-	2.83	-			
40	Download Throughput Average (Mbits/s)	64.57	5.70	133.87	6.58			
4G	Upload Throughput Average (Mbits/s)	13.65	10.45	27.15	5.89			

**Table-39:** Overall Summary of 5G only & 4G only data download & upload speed.

Note- "-"Respective technology was not observed during the test.

Chakrasila Wildlife Sanctuary							
	Development		rovider				
Parameters		AIRTEL	BSNL	RJIL	VIL		
50	Download Throughput Average (Mbits/s)	20.16	-	244.96	-		
5G	Upload Throughput Average (Mbits/s)	12.08	-	6.90	-		
4G	Download Throughput Average (Mbits/s)	74.73	4.25	23.48	20.71		
4G	Upload Throughput Average (Mbits/s)	10.04	6.64	5.82	9.47		

Table-40: Overall Summary of 5G only & 4G only data download & upload speed.

**Note**- "-"Respective technology was not observed during the test.

Deputy Commissioner Office, Kokrajhar							
				Service Provider			
	Parameters		BSNL	RJIL	VIL		
5G	Download Throughput Average (Mbits/s)	50.17	-	59.36	-		
56	Upload Throughput Average (Mbits/s)	6.97	-	3.36	-		
4G	Download Throughput Average (Mbits/s)	9.35	4.47	21.70	41.87		
40	Upload Throughput Average (Mbits/s)	2.85	5.66	2.77	9.64		

Table-41: Overall Summary of 5G only & 4G only data download & upload speed.

Note- "-"Respective technology was not observed during the test.

Dhubri Bus Stand							
Service Provider							
	Parameters		BSNL	RJIL	VIL		
50	Download Throughput Average (Mbits/s)	-	-	68.64	-		
5G	Upload Throughput Average (Mbits/s)	-	-	2.18	-		
40	Download Throughput Average (Mbits/s)	26.90	2.73	18.65	11.43		
4G	Upload Throughput Average (Mbits/s)	2.50	5.57	2.03	5.46		

Table-42: Overall Summary of 5G only & 4G only data download & upload speed.

Note- "-"Respective technology was not observed during the test.

IWD Ro-Ro Dhubri River Port						
	D	Service Provider				
	Parameters		BSNL	RJIL	VIL	
5G	Download Throughput Average (Mbits/s)	-	-	0.22	-	
56	Upload Throughput Average (Mbits/s)	-	-	1.73	-	
40	Download Throughput Average (Mbits/s)	67.43	1.12	49.70	2.09	
4G	Upload Throughput Average (Mbits/s)	28.72	3.06	9.54	2.20	

Table-43: Overall Summary of 5G only & 4G only data download & upload speed.

**Note**- "-"Respective technology was not observed during the test.

Kokrajhar Govt. College							
				Service Provider			
	Parameters		BSNL	RJIL	VIL		
5G	Download Throughput Average (Mbits/s)	68.83	-	218.57	-		
50	Upload Throughput Average (Mbits/s)	30.16	-	23.96	-		
40	Download Throughput Average (Mbits/s)	12.46	5.35	18.82	31.82		
4G	Upload Throughput Average (Mbits/s)	25.10	11.38	7.31	9.58		

Table-44: Overall Summary of 5G only & 4G only data download & upload speed.

Note- "-"Respective technology was not observed during the test.

	Kokrajhar Medical College & Hospital							
	Demonstration	Service Provider						
	Parameters		BSNL	RJIL	VIL			
5G	Download Throughput Average (Mbits/s)	134.45	-	42.56	-			
50	Upload Throughput Average (Mbits/s)	2.83	-	3.05	-			
4G	Download Throughput Average (Mbits/s)	153.01	-	16.80	3.24			
40	Upload Throughput Average (Mbits/s)	17.01	-	1.99	1.20			

Table-45: Overall Summary of 5G only & 4G only data download & upload speed.

Note- "-"Respective technology was not observed during the test.

Office of DC and Court Building					
Parameters		Service Provider			
		AIRTEL	BSNL	RJIL	VIL
5G	Download Throughput Average (Mbits/s)	16.77	-	0.04	-
56	Upload Throughput Average (Mbits/s)	10.44	-	1.55	-
4G	Download Throughput Average (Mbits/s)	24.60	4.98	3.94	8.69
40	Upload Throughput Average (Mbits/s)	9.49	19.18	1.21	8.82

Table-46: Overall Summary of 5G only & 4G only data download & upload speed.

**Note**- "-"Respective technology was not observed during the test.

# 5. Voice & Data Key findings

### **5.1 Overall Voice**

### 1. Call Setup Success Rate:

- a) Airtel, BSNL and VIL have 99.48%, 76.02% and 99.48% call setup success rate respectively in 3G/2G network mode. (refer table-3)
- b) Airtel, BSNL, RJIL and VIL have 100.00%, 79.07%, 100.00% and 97.18% call setup success rate respectively in auto-selection mode (5G/4G/3G/2G). (refer table-5)
- c) Airtel had a 100.00% call setup success rate while calling RJIL and VIL whereas call blocking was observed when calling BSNL. (refer to Table-9)
- d) BSNL had a 100.00% call setup success rate while calling RJIL whereas call blocking was observed when calling Airtel and VIL. (refer to Table-9)
- e) RJIL had a 100.00% call setup success rate while calling VIL whereas call blocking was observed when calling Airtel and BSNL. (refer to Table-9)
- f) VIL had a 100.00% call setup success rate while calling Airtel and RJIL whereas call blocking was observed when calling BSNL. (refer to Table-9)

### 2. Call Setup Time:

- a) Airtel, BSNL and VIL call setup time is 3.57, 3.01 & 3.86 seconds respectively in 3G/2G network mode. (refer table-3)
- b) Airtel, BSNL, RJIL & VIL call setup time is 2.02, 3.19, 0.63 & 1.54 seconds respectively in auto-selection mode (5G/4G/3G/2G). (refer table-5)
- 3. Call Silence/Mute Rate: In packet switched network (4G/5G) Airtel, RJIL & VIL have 0.00%, 1.05% & 1.58% silence call rate respectively. Further Airtel, RJIL & VIL downlink RTP packet loss is 0.48%, 0.50% & 0.72% respectively. In uplink Airtel, RJIL & VIL RTP packet loss is 0.17%, 0.76% & 0.90% respectively. (refer table-6)

### 4. Drop Call Rate:

- a) Airtel, BSNL and VIL drop call rate is 0.52%, 1.19% and 0.00% respectively in 3G/2G network mode. (refer table-3)
- b) Airtel, BSNL, RJIL and VIL drop call rate is 0.00%, 1.68%, 0.00% and 1.09% respectively in auto-selection mode (5G/4G/3G/2G). (refer table-5)

### 5.2 Overall Data

### 1. Data download and upload performance (Overall i.e. LSA):

- a) Airtel, BSNL, RJIL and VIL average download speeds are 124.61 Mbps, 3.00 Mbps, 219.77 Mbps and 23.69 Mbps respectively. (refer table-11)
- b) Airtel, BSNL, RJIL and VIL average upload speeds are 20.55 Mbps, 4.82 Mbps, 15.36 Mbps and 7.65 Mbps respectively. (refer table-11)

### 2. Data download and upload performance (static i.e. while stationary):

- a) Airtel, BSNL, RJIL and VIL average download speeds are 79.46 Mbps, 3.75 Mbps, 103.10 Mbps and 19.81 Mbps respectively. (refer table-29)
- b) Airtel, BSNL, RJIL and VIL average upload speeds are 11.56 Mbps, 6.52 Mbps, 7.54 Mbps and 5.66 Mbps respectively. (refer table-29)

### 3. Data session setup success rate (static i.e. while stationary):

- a) Airtel, BSNL, RJIL and VIL have 92.50%, 85.00%, 92.50% and 97.50% download session setup success rate respectively. (refer table-29)
- b) Airtel, BSNL, RJIL and VIL have 90.00%, 87.50%, 95.00% and 97.50% upload session setup success rate. (refer table-29)

## **5.3 Operator wise Key Findings**

### 1. Airtel:

### Voice

- 99.48% call setup success rate and 0.52% drop call rate have been observed in 3G/2G network mode for LSA/city drive. Performance is well within the benchmark of 98.00% & 2.00% respectively. (refer table-3 & 13)
- 100.00% call setup success rate and 0.00% drop call rate have been observed in auto-selection mode (5G/4G/3G/2G) for LSA. Performance is well within the benchmark of 98.00% & 2.00% respectively. (refer table-5)
- 100.00% call setup success rate and 0.00% drop call rate have been observed in auto-selection mode (5G/4G/3G/2G) for city drive. Performance is well within the benchmark of 98.00% & 2.00% respectively. (refer table-15)
- 100.00% call setup success rate and 0.00% drop call rate have been observed in auto-selection mode (5G/4G/3G/2G) for all hotspot locations. Performance is well within the benchmark of 98.00% & 2.00% respectively. (refer table-20)

### Data

- Airtel has 124.61 Mbps average download speed & 20.55 Mbps average upload speed for LSA. (refer table-11)
- Airtel has 130.99 Mbps average download speed & 21.81 Mbps average upload speed across measured routes for city drive. (refer table-19)
- Chakrasila Wildlife Sanctuary, Deputy Commissioner Office Kokrajhar, Dhubri Bus Stand, IWD Ro-Ro Dhubri River Port, Kokrajhar Govt. College and Office of DC and Court Building have less download speed (less than 100 Mbps) out of total 8 hotspot locations for auto-selection mode (5G/4G/3G/2G). (refer table-31, 32, 33, 34, 35 & 37)
- All hotspot locations have less upload speed (less than 20 Mbps) except IWD Ro-Ro Dhubri River Port for auto-selection mode (5G/4G/3G/2G). (refer table-30, 31, 32, 33, 35, 36 & 37)

### 2. BSNL:

### Voice

- 76.02% call setup success rate and 1.19% drop call rate have been observed in 3G/2G network mode for LSA/city drive. Performance is not meeting the benchmark of 98.00% for call setup success rate (refer table-3 & 13)
- 79.07% call setup success rate and 1.68% drop call rate have been observed in auto-selection mode (5G/4G/3G/2G) for LSA. Performance is not meeting the benchmark of 98.00% for call setup success rate (refer table-5)
- 76.92% call setup success rate and 2.35% drop call rate have been observed in auto-selection mode (5G/4G/3G/2G) for city drive. Performance is not meeting the benchmark of 98.00% & 2.00% respectively. (refer table-15)

 85.00% call setup success rate and 0.00% drop call rate have been observed in auto-selection mode (5G/4G/3G/2G) for all hotspot locations. Performance is not meeting the benchmark of 98.00% for call setup success rate. (refer table-20)

### Data

- BSNL has 3.00 Mbps average download speed & 4.82 Mbps average upload speed for LSA. (refer table-11)
- BSNL has 2.73 Mbps average download speed & 4.24 Mbps average upload speed across measured routes for city drive. (refer table-19)
- All hotspot locations have less download speed (less than 10 Mbps) for autoselection mode (5G/4G/3G/2G). (refer table- 30, 31, 32, 33, 34, 35, 36 & 37)
- Chakrasila Wildlife Sanctuary, IWD Ro-Ro Dhubri River Port and Kokrajhar Medical College & Hospital have less download speed (less than 2 Mbps) out of total 8 hotspot locations for auto-selection mode (5G/4G/3G/2G). (refer table-31, 34, & 36)

### 3. RJIL:

### Voice

- 100.00% call setup success rate and 0.00% drop call rate have been observed in auto-selection mode (5G/4G/3G/2G) for LSA. Performance is well within the benchmark of 98.00% & 2.00% respectively. (refer table-5)
- 100.00% call setup success rate and 0.00% drop call rate have been observed in auto-selection mode (5G/4G/3G/2G) for city drive. Performance is well within the benchmark of 98.00% & 2.00% respectively. (refer table-15)
- 100.00% call setup success rate and 0.00% drop call rate have been observed in auto-selection mode (5G/4G/3G/2G) for all hotspot locations. Performance is well within the benchmark of 98.00% & 2.00% respectively. (refer table-20)

#### Data

- RJIL has 219.77 Mbps average download speed & 15.36 Mbps average upload speed for LSA. (refer table-11)
- RJIL has 236.37 Mbps average download speed & 16.54 Mbps average upload speed across measured routes for city drive. (refer table-19)
- B.N. College, Dhubri Bus Stand, IWD Ro-Ro Dhubri River Port, Kokrajhar Medical College & Hospital and Office of DC and Court Building have less download speed (less than 100 Mbps) out of total 8 hotspot locations for auto-selection mode (5G/4G/3G/2G). (refer table-30, 33, 34, 36 & 37)
- All hotspot locations have less upload speed (less than 20 Mbps) except Kokrajhar Govt. College for auto-selection mode (5G/4G/3G/2G). (refer table-30, 31, 32, 33, 35, 36 & 37)

### 4. VIL:

### Voice

• 99.48% call setup success rate and 0.00% drop call rate have been observed in 3G/2G network mode for LSA/city drive. Performance is well within the benchmark of 98.00% & 2.00% respectively. (refer table-3 & 13)

- 97.18% call setup success rate and 1.09% drop call rate have been observed in auto-selection mode (5G/4G/3G/2G) for LSA. Performance is not meeting the benchmark of 98.00% for call setup success rate. (refer table-5)
- 96.57% call setup success rate and 1.52% drop call rate have been observed in auto-selection mode (5G/4G/3G/2G) for city drive. Performance is not meeting the benchmark of 98.00% for call setup success rate. (refer table-15)
- 98.75% call setup success rate and 0.00% drop call rate have been observed in auto-selection mode (5G/4G/3G/2G) for all hotspot locations. Performance is well within the benchmark of 98.00% & 2.00% respectively. (refer table-20)

#### Data

- VIL has 23.69 Mbps average download speed & 7.65 Mbps average upload speed for LSA. (refer table-11)
- VIL has 24.35 Mbps average download speed & 8.00 Mbps average upload speed across measured routes for city drive. (refer table-19)
- B.N. college, Dhubri Bus Stand, IWD Ro-Ro Dhubri River Port and Kokrajhar Medical College & Hospital have less download speed (less than 10 Mbps) out of total 8 hotspot locations for auto-selection mode (5G/4G/3G/2G). (refer table- 30, 33, 34 and 36)
- IWD Ro-Ro Dhubri River Port and Kokrajhar Medical College & Hospital have less upload speed (less than 2 Mbps) out of total 8 hotspot locations for auto-selection mode (5G/4G/3G/2G). (refer table- 34, & 36)

# 6. Annexure 6.1 Route wise coverage map 6.1.1 City




Figure-24: Signal strength 3G/2G network mode - AIRTEL.




Figure-25: Signal strength 3G/2G network mode - BSNL.




Figure-26: Signal strength 3G/2G network mode - VIL.




Figure-27: Signal strength auto-selection mode 5G/4G/3G/2G - AIRTEL.




Figure-28: Signal strength auto-selection mode 5G/4G/3G/2G - BSNL.




Figure-29: Signal strength auto-selection mode 5G/4G/3G/2G - RJIL.




Figure-30: Signal strength auto-selection mode 5G/4G/3G/2G – VIL.

# 7. Appendix

The details of the setup used for conducting the drive test and the network or performance parameters captured under different conditions may be seen at Appendix-I. The calculation method of each QoS parameter is given in Appendix-II of the report. The summary of key equipment used in technical setup is as under

- **Device-1**: OnePlus Nord CE3 for 3G/2G CAT-15 Smartphone.
- Device-2: Samsung Galaxy S23 for 5G/4G/3G/2G CAT-20 Smartphone
- **Drive test Software**: Azenços Engineering capable Applications to capture actual user experience.

# 7.1 Appendix-I

## 7.1.1 Drive test setup

Voice Call				
Call details	Technology	Detail		
Call Setup Timeout	• 3G/2G auto mode- switch Call	30 Sec		
Call Duration	• 5G/4G/3G/2G auto mode- switch Call	120 Sec		
Wait/ Guard Time	• 5G/4G MOS Call	15 Sec		

Table-47: Voice test detail

#### Note-

- There is 15 sec wait time after locking and before starting first call in 3G/2G call.
- 10 calls to be made at each Hotspot location.
- Minimum 10 Calls to be made during the walk test. Call count will be increased based on walk test distance.
- Speech quality (MOS) has been measured only in city drive & highway by making Mobile to Mobile call.
- 180 Sec calls were made only in highway & railway route drive.

Data Test				
Test Type	Technology	Detail		
HTTP/FTP Download		500 MB File- 30 Sec Timeout, (Multithread 3- TCP Connection at a time)		
HTTP/FTP Upload 5G/4G/3G/2G Auto Mode		250 MB File- 30 Sec Timeout, (Multithread 3- TCP Connection at a time)		
YouTube Streaming		20 Sec Video & 25 sec Timeout (Only at Hotspot)		
Web Browsing		3 popular websites ( <u>www.google.co.in,</u> <u>www.irctc.co.in</u> , <u>www.sbi.co.in</u> ) 20 sec timeout (only at Hotspot)		

Latency	25 count- Dynamic 1000 count- Hotspot Payload- 512 bytes in all drive
---------	---

#### Table-48: Data test detail

### Note-

- 5 Data iteration to be done at each hotspot location.
- Minimum 5 iteration to be made during the walk test. Iteration count will be increased based on walk test distance.
- Ping test to be performed only once at hotspot location.
- Youtube & Web browsing test to be performed at static location only.
- All values are taken up to two decimal places with round off.
- Download and upload testing has been done on FTP server for Airtel, BSNL & RJIL.
- (Airtel, BSNL & RJIL not provided HTTP server)
- VIL download and upload testing is done on HTTP Server.





Figure-31: Number of handsets used in city & highway drive

MO: Mobile originating MT: Mobile terminating



# Handsets Used- Railway/Metro/Walk Test/ Hotspot & Coastal Area

Figure-32: Number of handsets used in railway/metro/walktest/hotspot & coastal area

Note- 5G & 4G Lock mode testing has been performed at hotspot locations only.

# 7.1.2 Drive test Methodology

### (a) Dynamic voice testing (on the move)




Figure-33: Voice test script for city/railway/metro/highway & coastal area

- 15 sec wait time is applied after locking Radio Access Technology (RAT) to 3G/2G and before starting first call in 3G/2G call.
- Speech quality (MOS) will be measured only City & Highway drive by making Mobile to Mobile calls.

## (b) Hotspot voice testing



Figure-34: Voice test script for walktest/hotspot

- 10 calls to be made at each Hotspot location.
- Minimum 10 Calls to be made during the walk test. Call count will be increased based on walk test distance.

### (c) Dynamic Data (internet) test




Figure-35: Data test script used in city/metro/railway/highway/walk test & coastal area

## (d) Static Data(internet) testing




Figure-36: Data test script used at hotspot

- 5 Data iteration done at each hotspot location.
- Min. 5 iteration made during the walk test.
- Web browsing duration mentioned above is for one web site only.
- Only 1 ping iteration (with 1000 Count) done at hotspot location.

# 7.2 Appendix-II

# **7.2.1 Network Performance Parameters for Voice calls**

Parameter Name	Definition	
Call Setup Success Rate	<ul> <li>(i) Call Setup Success Rate is defined as the ratio of Established Calls to Call Attempts. 'Established Calls' mean the following events have happened in call setup: <ul> <li>(a) Call attempt is made</li> <li>(b) The signaling channel is allocated</li> <li>(c) The call is routed to the outwards path of the terminating network</li> <li>(d) An alert signal is received by caller in the form of ring back tone, busy tone, or an announcement.</li> </ul> </li> <li>CSSR = (Total Call Established/ Total Call Attempt) *100 As per QoS Regulation 2024 benchmark value is &gt;=98%</li></ul>	
Drop Call Rate	Drop call represents the service provider network's ability to maintain a call once it has been successfully established. This parameter shall include both incoming calls and outgoing calls which, once they have been established and have an assigned traffic channel/ bearer, are dropped, or interrupted before their normal completion by the user, the cause of the early termination being within the service provider's network Drop Call Rate = (Total Drop Call/Total Call Established) *100 As per QoS Regulation 2024 benchmark value is <b>&lt;=2%</b>	
Call Setup Time	Time taken from call initiate to call alerting/ringing. Call Setup Time = T2- T1 T2- Ringing (VoLTE/VoNR) & Alerting (for WCDMA & GSM), T1- Invite (VoLTE/VoNR) & CM Service Request (for WCDMA & GSM)	
Voice Quality (MOS)	Voice quality in mobile networks is measured with algorithms based on ITU-T P.863 (POLQA). The grading for Voice quality has been given as: Excellent: MOS $\geq$ 4 and < 5 Good : MOS $\geq$ 3 and < 4 Fair : MOS $\geq$ 2 and < 3 Poor : MOS $\geq$ 1 and < 2	
Handover Success Rate	Handover Success Rate = Count of successful handovers (All Technology Handover combined) / Total count of Handover Attempt (All Technology Handover combined) *100 Handover type which are considered- 2G Inter & Intra cell, 3G Soft & IRAT, 4G Inter & Intra frequency & SRVCC, 5G Inter & Intra frequency & 5G to 4G handovers.	
Silence Call	<ul> <li>A call which has ≥ 4 sec continuous RTP gap is considered as a Silence Call.</li> <li>Silence call rate = (count of silence call / Total calls established) *100</li> <li>If a call observes multiple silence count &gt;=4 sec in a particular established call it has been taken as one silent event.</li> </ul>	

Jitter	The inter arrival jitter is the difference in the relative transit time for two packets. The relative transit time is the difference between a packet's Real-time Transport Protocol (RTP) timestamp and the receiver's clock at the time of arrival, measured in the same units. If Si is the RTP timestamp from packet i, and Ri is the time of arrival in RTP timestamps units for packet i, then for two packets i and j the inter-arrival jitter D can be expressed as: D(i,j) = (Rj - Ri) - (Sj - Si)					
	i is received packet and	from source the previou n sequence),	SSRC_n, us packet according	using this i-1 in o to the for	s differenc order of rmula	data packet æ D for that arrival (not
Downlink Packet Drop Rate	Number of RTP (Real-time Transport Protocol) Packets lost divided by total RTP packet received (against each source_SSRC and sequence number) at call originating handset. This KPI is calculated from MOS call for packet call only (VoNR/VoLTE)					
Uplink Packet Drop Rate	Number of RTP (Real-time Transport Protocol) Packets lost divided by total RTP packet received (against each source_SSRC and sequence number) at call terminating handset. This KPI is calculated from MOS call for packet call only (VoNR/VoLTE).					
	Signal strength is the signal power level received by the wireless user.					
	Technology		Signal Stre	ength (dBm Fair	) Poor	
	Rx Level	GSM	0 to <u>&gt;</u> -65	<-65 to	<-75 to	<-85 to
Signal Strength	RSCP	WCDMA	-65 0 to <u>&gt;</u> -70	<u>&gt;</u> -75 <-70 to <u>&gt;</u> -80	<u>&gt;</u> -85 <-80 to <u>&gt;</u> -90	min <-90 to min
	RSRP	LTE	0 to <u>&gt;</u> -80	<-80 to >95	<-95 to >-110	<-110 to min
	SS_RSRP	NR	0 to <u>&gt;</u> -80	<-80 to <u>&gt;</u> -95	<-95 to <u>&gt;</u> -110	<-110 to min
				•	•	

Table-49: Network performance parameter and definition voice

# **7.2.2 Network Performance Parameters Data tests**

Parameter Name	Definition
	The download speed is defined as the data transmission rate that is achieved for downloading a test file from a test server to a test device.
Download Speed (Mbps)	Download Speed = Total bytes transferred during download / Total time for transfer
	<ul> <li>80th percentile (upper range) &amp; 20th percentile (lower range) value has been calculated for download throughput in dynamic drive and Hotspot combine data</li> </ul>
	The upload speed is the data transmission rate that is achieved for uploading a test file from a test device to a test server.
Upload Speed (Mbps)	Upload Speed = Total bytes transferred during upload / Total time for transfer.
	<ul> <li>80th percentile (upper range) &amp; 20th percentile (lower range) value has been calculated for upload throughput in dynamic drive and Hotspot combine data.</li> </ul>
Download Session Setup Success Rate	(total download session established (successfully connected to server)/ total download session attempt) *100. This KPI has been calculated for Hotspot only.

Upload Session Setup Success Rate	(total upload session established (successfully connected to server)/ total upload session attempt)*100. This KPI need to report for Hotspot only.
Web Page Download Time	Web browsing test is used to measure performance in terms of opening a web/HTTP page. Time taken to open the web page successfully is considered as web
	browsing delay/web page download time.
Video Streaming DelayThe Video streaming delay is time taken from start o transfer to First video frame displayed in player.	
Latency	Latency is the time it takes for a small data set to be transmitted from a device to a server on the Internet and back to the same device again. The Latency is measured in milliseconds (ms). To calculate the one-way latency we just do half of the round-trip time. 50th percentile of one way latency has been reported.
	Measure of variation in time in arrival of packets from a source to destination
Jitter	The consideration of packet delay jitter is considered by standard deviation of Inter Packet Delay Variation. If IPDV is used. By standard deviation is meant the average of standard deviation of IPDV on DL
	IPDV(i) = D(i) - D(i-1) then Stdvs of IPDV is considered as jitter.
	Number of packets lost out of total packet transferred during test. Packet loss rate = (Total packet lost / Total packet sent) *100
Packet Loss Rate	* Packet delay (using ping) >90 ms considered as packet loss and included in packet loss rate.
	* Packet loss rate is calculated based on ICMP
	* 90th percentile for Packet loss rate has been reported in overall Hotspot performance summary.

Table-50: Network performance parameter and definition Data

**Disclaimer:** The observations presented above and, in the reports, represent the performance of the service providers on the area/route under test on the day/time of conducting the drive test and no inference whatsoever may be drawn regarding the quality of the telecom service by the service providers in the whole city/state/licensed service area.

Hardik	Digitally signed by
Rajeshbhai	Hardik Rajeshbhai Patel Date: 2025.07.09
Patel	14:19:00 +05'30'